Index to volume 93

Author index*

A

ABU-SIN, AHMED, FELICE, A. E., GRAVELY, M.E., WILSON, J. B., REESE, A. L., LAM, H., MILLER, A., and HUISMAN, T. H. J. Hb P-Nilotic in association with β^0-thalassemia; *cis*-mutation of hemoglobin β^A chain regulatory determinant? 973

ACCATINO, LUIGI, CONTRERAS, ALICIA, FERNANDEZ, SOLEDAD, and QUINTANA, CARLOS. Effect of complete biliary obstruction on bile flow and bile acid excretion: postcholestatic choleresis in rat, 706

ACHUFF, S. (*See* Charache et al.), 316

ADAMS, NANCY D. (*see* Gray et al.), 1031

AKANUMA, YASUO (*see* Imawari et al.), 171

ALBISSER, A. M. Continuous blood glucose analysis: new tool or old toy, 515

ALKJAERSIG, NORMA K. (*see* Fletcher et al.), 1054

ALVING, BARBARA M., EVATT, BRUCE L., LEVIN, JACK, BELL, WILLIAM R., RAMSEY, ROSEMARY B., and LEVIN, FRANCINE C. Platelet and fibrinogen production: relative sensitivities to endotoxin, 437

AMORUSO, MARIE A. (*see* Goldstein, Rozen, and Amoruso), 687

ANAGNOSTOU, ATHANASIUS (*see* Fried et al.), 700

ANGERS, ANNE H. (*see* Angers et al.), 528

ANGERS, JOHN W., KORIK, LAZAR, FRANKLIN, LYNN S., REID, WILLIAM E., URBANIA, CAROL, TURNER, ROBERT, ANGERS, ANNE H., SOVIERO, STEVE, LYONS, MICHAEL, and LEVY, ARTHUR L. The leukocyte adherence–inhibition assay as a diagnostic test for multiple sclerosis: study of substance found in MS blood, 528

ARDAILLOU, NICOLE (*see* Girma et al.), 926

ARFANIA, D. (*see* Rubin et al.), 910

ARROYAVE, CARLOS M. (*see* Wilson, Arroyave, and Tan), 493

ARRUDA, JOSE A. L. (*see* Mehta et al.), 983

ATKINS, E. (*see* Rickles et al.), 128

ATKINSON, ARTHUR J., JR. (*see* Shah et al.), 370

AUN, FREDERICKO (*see* Solway et al.), 962

AVASTHI, P. S., and EVAN, A. P. Glomerular permeability in aminonucleoside-induced nephrosis in rats, 266

B

BAEHNER, ROBERT L. (*see* Boxer et al.), 506

BALTCH, ALDONA L., GRIFFIN, PAUL E., and HAMMER, MARK. *Pseudomonas aeruginosa* bacteremia: relationship of bacterial enzyme production and pyocine types with clinical prognosis in 100 patients, 600

BARKLEY, RONALD M. (*see* Read et al.), 381

BARONE, JUDY (*see* Fried et al.), 700

BARTER, PHILIP J. (*see* Lally and Barter), 570

BAY, WILLIAM H., MISHKIND, MICHAEL H., LANE, GARY E., and FERRIS, THOMAS F. Effect of prostaglandin-synthesis stimulation and blockade on sodium excretion at fixed renal perfusion pressure, 78

BELL, WILLIAM R. (*see* Alving et al.), 437

— (*see* Kessler and Bell), 758, 768

BERENSON, G. S., VOORS, A. W., DALFERES, E. R., JR., WEBBER, L. S., and SHULER, S. E. Creatinine clearance, electrolytes, and plasma renin activity related to blood pressure of white and black children—Bogalusa Heart Study, 535

BIGOS, S. THOMAS, HINDSON, DAVID, and MCCALLUM, JERRI. Serum TSH and antimicrosomal antibodies as screen for autoimmune thyroid disease, 1035

BILLING, RONALD (*see* Weisbart, Billing, and Golde), 622

BLACK, C., GLASS, J., NUNEZ, M. T., and ROBINSON, S. H. Transferrin binding and iron transport in iron-deficient and iron-replete rat reticulocytes, 645

BLANKENSHIP, NANCY M. (*see* Scharschmidt et al.), 790

BLONDOWSKA, DANUTA (*see* Cazenave et al.), 60

BLUMBERG, W. E. (*see* Lamola, Eisinger, and Blumberg), 345

BOGGS, DANE R. (*see* Joyce and Boggs), 101

BOMBOY, J. D., JR. (*see* Graber et al.), 25

BOND, JOHN H., PRENTISS, ROBIN A., and LEVITT, MICHAEL D. Effects of feeding on blood flow to stomach, small bowel, and colon of conscious dog, 594

BONSIB, STEPHEN (*see* Boxer et al.), 506

BOOKCHIN, ROBERT M. (*see* Roth, Bookchin, and Nagel), 867

BOXER, LAURENCE A., YODER, MERVIN, BONSIB, STEPHEN, SCHMIDT, MICHAEL, HO, PETER, JERSILD, RALPH, and BAEHNER, ROBERT L. Effects of chemotactic factor, *N*-formylmethionyl peptide, on adherence, superoxide anion generation, phagocytosis, and microtubule assembly of human polymorphonuclear leukocytes, 506

BROWN, E. B. (*see* Okada, Jarvis, and Brown), 189

BROWN, STEPHEN (*see* Caro et al.), 449

BUNN, H. FRANKLIN (*see* Solway et al.), 962

BURCH, ROBERT E. (*see* Sullivan, Jetton, and Burch), 485

BURKITT, DONNA W. (*see* Workman et al.), 847

*January, pp. 1-180; February, pp. 181-348; March, pp. 349-514; April, pp. 515-694; May, pp. 695-894; June, pp. 895-1092.

BURNETT, C. J. (*see* Highsmith, Burnett, and Weirich), 459
BUSBY, MICHAEL (*see* Updike, Shults, and Busby), 518

C

CALDAS, ANGELA E. (*see* Gray et al.), 1031
CARNEY, SHANE L., WONG, NORMAN L. M., and DIRKS, JOHN H. Acute effects of streptozotocin diabetes on rat renal function, 950
CARO, JAIME, BROWN, STEPHEN, MILLER, ORIN, MURRAY, THOMAS, and ERSLEV, ALLAN J. Erythropoietin levels in uremic nephric and anephric patients, 449
CARPIO, NOEMI M. (*see* Felsher, Carpio, and VanCouvering), 414
CARVALHO, ANGELINA C. A. (*see* Trelstad and Carvalho), 499
CAZENAVE, JEAN-PIERRE, BLONDOWSKA, DANUTA, RICHARDSON, MARY, KINLOUGH-RATHBONE, RAELENE L., PACKHAM, MARIAN A., and MUSTARD, J. F. Quantitative radioisotopic measurement and scanning electron microscopic study of platelet adherence to collagen-coated surface and to subendothelium with rotating probe device, 60
CESTERO, RAFAEL V. M. (*see* Swamy, Woolf, and Cestero), 1066
CHANG, BRUCE (*see* Garella, Chang, and Kahn), 321
CHANG, CHIA T. (*see* Khan et al.), 295
CHARACHE, S., ACHUFF, S., WINSLOW, R., and KAZAZIAN, H. Oxygen transport in woman with hemoglobin Hope/β^+ thalassemia, 316
CIAK, JENNIE (*see* Tramont et al.), 730
CLEMENTS, REX S., JR., and DIETHELM, ARNOLD G. Metabolism of *myo*-inositol by human kidney, 210
CLEMETSON, K. J. (*see* Jenkins, Clemetson, and Lüscher), 220
COATS-STEPHEN, MARION (*see* Weiner and Coats-Stephen), 111
COBB, LEONARD A. (*see* Ritchie, Cobb, and Harker), 310
COHN, JAY N. (*see* Lebrec, Kotelanski, and Cohn), 301
COLE, RICHARD (*see* Solway et al.), 962
COLLEN, DÉSIRÉ (*see* Plow, de Cock, and Collen), 199
COLLINS, JOHN A. (*see* Tuddenham et al.), 40
COMP, P. C., JACOCKS, R. M., and TAYLOR, F. B., JR. Dilute whole blood clot lysis assay: screening method for identifying postoperative patients with high incidence of deep venous thrombosis, 120
CONTRERAS, ALICIA (*see* Accatino et al.), 706
COOPER, LEWIS B. (*see* Pearlstein, Cooper, and Karpatkin), 332

D

DALFERES, E. R., JR. (*see* Berenson et al.), 535
DANHAUSER, LYNN L., and RUSTUM, YOUCEF M. Method for continuous drug infusion in unrestrained rats: its application in evaluating toxicity of 5-fluorouracil/thymidine combinations, 1047
DE COCK, FRANS (*see* Plow, de Cock, and Collen), 199
DEGOWIN, RICHARD L. (*see* Werts, Gibson, and DeGowin), 995
DELUCA, H. F. (*see* Horst et al.), 277
DHAR, G. JEELANI (*see* Russell et al.), 428
DIETHELM, ARNOLD G. (*see* Clements and Diethelm), 210
DIRKS, JOHN H. (*see* Carney, Wong, and Dirks), 950
DODDS, W. JEAN (*see* Raymond and Dodds), 607
DREISIN, ROBERT B., and MOSTOW, STEVEN R. Sulfhydryl-mediated depression of ciliary activity: adverse effect of acetylcysteine, 674
DUTTA, SUDHIR K. (*see* Russell et al.), 428

E

EGAN, J. J. (*see* Jamieson et al.), 652
EHRLICH, E. N. (*see* Nolten et al.), 146
EISINGER, J. (*see* Lamola, Eisinger, and Blumberg), 345
ELDOR, AMIRAM (*see* Reches, Eldor, and Salomon), 638
ELLIS, CAROL (*see* Levitt and Ellis), 71
ELLIS, H. A. (*see* Pierides, Skillen, and Ellis), 899
ERSLEV, ALLAN J. (*see* Caro et al.), 449
EVAN, A. P. (*see* Avasthi and Evan), 266
EVANS, HUGH E. (*see* Khan et al.), 295
EVATT, BRUCE L. (*see* Alving et al.), 437
EYRE, HARMON J. (*see* Kitahara, Eyre, and Hill), 472
— (*see* Kitahara, Simonian, and Eyre), 232

F

FALKO, JAMES M. (*see* Weidman et al.), 549
FANTONE, JOSEPH, SENIOR, ROBERT M., KREUTZER, DONALD L., JONES, MICHAEL, and WARD, PETER A. Biochemical quantitation of chemotactic factor inactivator activity in human serum, 17
FELICE, A. E. (*see* Abu-Sin et al.), 973
FELSHER, BERTRAM F., CARPIO, NOEMI M., and VANCOUVERING, KENNETH. Effect of fasting and phenobarbital on hepatic UDP–glucuronic acid formation in rat, 414
FERNANDES-COSTA, FRANCISCO, and METZ, JACK. Binding of methylfolate and pteroylglutamic acid by specific serum folate binder, 181
FERNANDEZ, SOLEDAD (*see* Accatino et al.), 706
FERRIS, THOMAS F. (*see* Bay et al.), 78
FISHBACK, B. (*see* Jamieson et al.), 652
FISHER, JAMES W. Extrarenal erythropoietin production, 695
FLETCHER, ANTHONY P., ALKJAERSIG, NORMA K., GHANI, F. M., TULEVSKI, VASIL, and OWENS, ODESSA. Blood coagulation system pathophysiology in acute myocardial infarction: influence of anticoagulant treatment on laboratory findings, 1054
FONG, HUBERT (*see* Hayman, Fong, and Van der Weyden), 480
FORDTRAN, JOHN S. (*see* Read et al.), 381
FRANCIS, T. I. (*see* Oluboyede et al.), 783
FRANCO, R. S., HOGG, J. W., and MARTELO, O. J. Effect of INH-inhibited heme synthesis on globin synthesis, 679
FRANK, WILLIAM O., RAYYES, AMER N., WASHINGTON, ANNABELLE, and HOLT, PETER R. Effect of acute ethanol administration upon hepatic regeneration, 402
FRANKLIN, LYNN S. (*see* Angers et al.), 528
FRIED, WALTER, BARONE, JUDY, SCHADE, STANLEY, and ANAGNOSTOU, ATHANASIUS. Effect of carbon tetrachloride on extrarenal erythropoietin production in rats, 700
FROHMAN, LAWRENCE A. (*see* Frohman et al.), 614
FROHMAN, MICHAEL A., FROHMAN, LAWRENCE A., GOLDMAN, MARGARET B., and GOLDMAN, JOHN N. Use of protein A–containing *Staphylococcus aureus* as immunoadsorbent in radioimmunoassays to separate antibody-bound from free antigen, 614
FROJMOVIC, M. M. (*see* Milton and Frojmovic), 154, 162
FUDENBERG, H. HUGH (*see* Wilson and Fudenberg), 819
— (*see* Wilson, Fudenberg, and Horsmanheimo), 800

G

GARELLA, SERAFINO, GHANG, BRUCE, and KAHN, SEWELL. I. Alterations of hydrogen ion homeostasis in pure potassium depletion: studies in rats and dogs during recovery phase, 321

GENUTH, SAUL M. (*see* O'Dea et al.), 1004
GERICH, J., GREENE, K., HARA, M., RIZZA, R., and PATTON, G. Radioimmunoassay of somatostatin and its application in study of pancreatic somatostatin secretion in vitro, 1009
GHANI, F. M. (*see* Fletcher et al.), 1054
GIBSON, D. PHILLIP (*see* Werts, Gibson, and DeGowin), 995
GIBSON, THOMAS P. (*see* Shah et al.), 370
GIDARI, ANTHONY S., and LEVERE, RICHARD D. Glucocorticoid-mediated inhibition of erythroid colony formation by mouse bone marrow cells, 872
GILBREATH, MICHAEL J. (*see* Tramont et al.), 730
GIRMA, JEAN-PIERRE, ARDAILLOU, NICOLE, MEYER, DOMINIQUE, LAVERGNE, JEAN-MAURICE, and LARRIEU, MARIE-JOSE. Fluid phase immunoradiometric assay for the detection of qualitative abnormalities of factor VIII/von Willebrand factor in variants of von Willebrand's disease, 926
GLASS, J. (*see* Black et al.), 645
GLASS, LEONARD (*see* Khan et al.), 295
GOLDE, DAVID W. (*see* Weisbart, Billing, and Golde), 622
GOLDMAN, JOHN N. (*see* Frohman et al.), 614
GOLDMAN, MARGARET B. (*see* Frohman et al.), 614
GOLDSTEIN, BERNARD D., ROZEN, MICHAEL G., and AMORUSO, MARIE A. Relation of fluorescence in lipid-containing red cell membrane extracts to in vivo lipid peroxidation, 687
GOLDSTEIN, IRA M. Endogenous regulation of complement (C5)-derived chemotactic activity: fine-tuning of inflammation, 13
GOOD, JAMES T., JR. (*see* Taryle, Good, and Sahn), 1041
GOODMAN, DEWITT S. (*see* Imawari et al.), 171
GORMUS, B. J. (*see* Rinehart et al.), 361
GRABER, S. E., BOMBOY, J. D., JR., SALMON, W. D., JR., and KRANTZ, S. B. Evidence that endotoxin is cyclic 3′:5′-GMP–promoting factor in erythropoietin preparations, 25
GRAF, M., LAUBSCHER, A., RICHARDS, J. G., and PLETSCHER, A. Blood platelets isolated by polysaccharide gradients: reaction to 5-hydroxytryptamine, 157
GRAVELY, M. E. (*see* Abu-Sin et al.), 973
GRAY, RICHARD W., ADAMS, NANCY D., CALDAS, ANGELA E., and LEMANN, JACOB, JR. Effects of dihydrotachysterol therapy on measurement of plasma 1,25-$(OH)_2$-vitamin D in humans, 1031
GREENBERG, MARK L. (*see* Huber, Greenberg, and Huber), 32
GREENE, K. (*see* Gerich et al.), 1009
GRIFFIN, PAUL E. (*see* Baltch, Griffin, and Hammer), 600
GROSS, NICHOLAS J. Experimental radiation pneumonitis. III. Phospholipid studies on lungs, 627
GUPTA, RAJ G., OPARIL, SUZANNE, and SZIDON, JAN P. Clinical significance of serum angiotensin-converting enzyme levels in sarcoidosis, 940

H

HALLBERG, MARVIN C. (*see* O'Dea et al.), 1004
HAMMER, MARK (*see* Baltch, Griffin, and Hammer), 600
HARA, M. (*see* Gerich et al.), 1009
HARKER, LAURENCE A. (*see* Ritchie, Cobb, and Harker), 310
HARRIS, P. D. (*see* Rubin et al.), 910
HASZ, DIANE E. (*see* Soltis et al.), 238
HAYMAN, RONALD J., FONG, HUBERT, and VAN DER WEYDEN, MARTIN B. Simple radiometric assay for methotrexate and other folate antagonists, 480
HEATH, HUNTER III, and SIZEMORE, GLEN W. Immunochemical heterogeneity of calcitonin in tumor, tumor venous effluent, and peripheral blood of patients with medullary thyroid carcinoma, 390
HIGHSMITH, R. F., BURNETT, C. J., and WEIRICH, C. J. Interaction of $\overline{C1}$-esterase inhibitor and plasmin in human euglobulin, 459
HILL, HARRY R. (*see* Kitahara, Eyre, and Hill), 472
HINDSON, DAVID (*see* Bigos, Hindson, and McCallum), 1035
HO, KANG-JEY, HO, LE-HONG C., and KRUGER, ORVILLE ROBERT. Characterization and determination of activity of biliary β-glucuronidase in rats, 916
HO, LE-HONG C. (*see* Ho, Ho, and Kruger), 916
HO, Peter (*see* Boxer et al.), 506
HODGE, WAVELL C. (*see* Tramont et al.), 730
HOGG, J. W. (*see* Franco, Hogg, and Martelo), 679
HOIDAL, JOHN R., WHITE, JAMES G., and REPINE, JOHN E. Influence of cationic local anesthetics on metabolism and ultrastructure of human alveolar macrophages, 857
HOLMES, EDWARD W. (*see* Kovarsky, Holmes, and Kelley), 85
HOLT, PETER R. (*see* Frank et al.), 402
HORSMANHEIMO, MAIJA (*see* Wilson, Fudenberg, and Horsmanheimo), 800
HORST, R. L., SHEPARD, R. M., JORGENSEN, N. A., and DELUCA, H. F. Determination of 24, 25-dihydroxyvitamin D and 25, 26-dihydroxyvitamin D in plasma from normal and nephrectomized man, 277
HOWELL, DAVID S. (*see* Malemud et al.), 1018
HOYER, LEON W. (*see* Tuddenham et al.), 40
HUBER, JOHANNES (*see* Huber, Greenberg, and Huber), 32
HUBER, OLGA, GREENBERG, MARK L., and HUBER, JOHANNES. Complement-fixing anti–double-stranded DNA with *Crithidia* method: better indicator of active SLE than anti-DNA with Farr method, 32
HUISMAN, T. H. J. (*see* Abu-Sin et al.), 973

I

IBER, FRANK L. (*see* Mezey et al.), 92
IMAWARI, MICHIO, AKANUMA, YASUO, ITAKURA, HIROSHIGE, MUTO, YASUTOSHI, KOSAKA, KINORI, and GOODMAN, DEWITT S. Effects of diseases of liver on serum 25-hydroxyvitamin D and on serum-binding protein for vitamin D and its metabolites, 171
ISRAELS, LYONEL G. (*see* Schacter, Yoda, and Israels), 838
ITAKURA, HIROSHIGE (*see* IMAWARI et al.), 171
IVANOVICH, PETER (*see* Shah et al.), 370

J

JACOCKS, R. M. (*see* Comp, Jacocks, and Taylor), 120
JAFFE, R. M., and ZIERDT, W. New occult blood test not subject to false-negative results from reducing substances, 879
JAMIESON, G. A., OKUMURA, T., FISHBACK, B., JOHNSON, M. M., EGAN, J. J., and WEISS, H. J. Platelet membrane glycoproteins in thrombasthenia, Bernard-Soulier syndrome, and storage pool disease, 652
JARVIS, B. (*see* Okada, Jarvis, and Brown), 189
JENKINS, C. S. P., CLEMETSON, K. J., and LÜSCHER, E. F. Studies on mechanism of ristocetin-induced platelet agglutination: binding of ristocetin to platelets, 220
JERSILD, RALPH (*see* Boxer et al.), 506

JETTON, MARY M. (*see* Sullivan, Jetton, and Burch), 485
JOHNSON, M. M. (*see* Jamieson et al.), 652
JONES, MICHAEL (*see* Fantone et al.), 17
JORGENSEN, N. A. (*see* Horst et al.), 277
JOSHUA, I. G. (*see* Rubin et al.), 910
JOYCE, ROBERT A., and BOGGS, DANE R. Visualizing marrow granulocyte reserve, 101

K

KAHN, SEWELL I. (*see* Garella, Chang, and Kahn), 321
KAPLAN, MANUEL E. (*see* Rinehart et al.), 361
KARPATKIN, SIMON (*see* Pearlstein, Cooper, and Karpatkin), 332
KAZAZIAN, H. (*see* Charache et al.), 316
KEEFFE, EMMET B. (*see* Scharschmidt et al.), 790
KELLEY, WILLIAM N. (*see* Kovarsky, Holmes, and Kelley), 85
KESSLER, CRAIG M., and BELL, WILLIAM R. Effect of homologous thrombin and fibrinogen degradation products on fibrinogen synthesis in rabbits, 768
—, —. Regulation of fibrinogen biosynthesis: effect of fibrin degradation products, low-molecular-weight peptides of fibrinogenolysis, and fibrinopeptides A and B, 758
KHAN, ABDUL J., EVANS, HUGH E., GLASS, LEONARD, KHAN, PARVIN, CHANG, CHIA T., and NAIR, S. RAMCHANDRAN. Abnormal neutrophil chemotaxis and random migration induced by aminoglycoside antibiotics, 295
KHAN, PARVIN (*see* Khan et al.), 295
KINGDON, HENRY S. (*see* Vogel, Kingdon, and Lundblad), 661
KINLOUGH-RATHBONE, RAELENE L. (*see* Cazenave et al.), 60
KIPNIS, DAVID M. Clinical biomedical research and training: challenge for medical subspecialities, 1
KITAHARA, MITSUO, EYRE, HARMON J., and HILL, HARRY R. Monocyte functional and metabolic activity in malignant and inflammatory diseases, 472
—, SIMONIAN, YASMEN, and EYRE, HARMON J. Neutrophil myeloperoxidase: simple, reproducible technique to determine activity, 232
KOLAR, JANET (*see* Weidman et al.), 549
KORIK, LAZAR (*see* Angers et al.), 528
KOSAKA, KINORI (*see* Imawari et al.), 171
KOTELANSKI, BERNARDO (*see* Lebrec, Kotelanski, and Cohn), 301
KOVARSKY, JOEL, HOLMES, EDWARD W., and KELLEY, WILLIAM N. Absence of significant urate binding to human serum proteins, 85
KRANTZ, S. B. (*see* Graber et al.), 25
KREJS, GUENTER J. (*see* Read et al.), 381
KREUTZER, DONALD L. (*see* Fantone et al.), 17
KRUGER, ORVILLE ROBERT (*see* Ho, Ho, and Kruger), 916
KUMAR, R. Renal osteodystrophy: complex disorder, 895
KURTZMAN, NEIL A. (*see* Mehta et al.), 983
KUSHNER, J. P. (*see* Rasmussen and Kushner), 54

L

LALLY, JANICE I., and BARTER, PHILIP J. In vivo metabolism of esterified cholesterol in plasma high-density lipoproteins of rabbits, 570
LAM, H. (*see* Abu-Sin et al.), 973
LAMOLA, A. A., EISINGER, J., and BLUMBERG, W. E. Bilirubin sensitivity of zinc protoporphyrin hematofluorometers, 345
LANE, GARY E. (*see* Bay et al.), 78
LANGE, PAUL (*see* Rinehart et al.), 361
LARRIEU, MARIE-JOSE (*see* Girma et al.), 926
LAUBSCHER, A. (*see* Graf et al.), 257
LAVERGNE, JEAN-MAURICE (*see* Girma et al.), 926
LEBREC, DIDIER, KOTELANSKI, BERNARDO, and COHN, JAY N. Splanchnic hemodynamic factors in cirrhosis with refractory ascites, 301
LEMANN, JACOB, JR. (*see* Gray et al.), 1031
LEVERE, RICHARD D. (*see* Gidari and Levere), 872
LEVIN, FRANCINE C. (*see* Alving et al.), 437
LEVIN, JACK (*see* Alving et al.), 437
— (*see* Rickles et al.), 128
LEVITT, MICHAEL D., and ELLIS, CAROL. Serum isoamylase measurements in pancreatitis complicating chronic renal failure, 71
— (*see* Bond, Prentiss, and Levitt), 594
LEVY, ARTHUR I. (*see* Angers et al.), 528
LIDDLE, GRANT W. (*see* Workman et al.), 847
LINDHEIMER, M.D. (*see* Nolten et al.), 146
LLERENA, LUIS A. (*see* O'Dea et al.), 1004
LORINCZ, M. (*see* Montoya, Wilber, and Lorincz), 887
LOUIS, C. (*see* Rossi, Louis, and Zeller), 286
LUFT, FRIEDRICH C. (*see* Pratt and Luft), 724
LUNDBLAD, ROGER L. (*see* Vogel, Kingdon, and Lundblad), 661
LÜSCHER, E. F. (*see* Jenkins, Clemetson, and Lüscher), 220
LUZZATTO, L. (*see* Oluboyede et al.), 783
LYONS, MICHAEL (*see* Angers et al.), 528

M

MCCALLUM, JERRI (*see* Bigos, Hindson, and McCallum), 1035
MCDONALD, MELISENDA (*see* Solway et al.), 962
MADDREY, WILLIS C. (*see* Mezey et al.), 92
MALEMUD, CHARLES J., WEITZMAN, GLENN A., NORBY, DAVID P., SAPOLSKY, ASHER I., and HOWELL, DAVID S. Metal-dependent neutral proteoglycanase activity from monolayer-cultured lapine articular chondrocytes, 1018
MARTELO, O. J. (*see* Franco, Hogg, and Martelo), 679
MASUDA, HIROSHI, and NAKAYAMA, FUMIO. Composition of bile pigment in gallstones and bile and their etiological significance, 353
MAURY, PETER. Quantitative determination of 4-*N*-2-acetamido-2-deoxy-β-D-glucopyranosyl-L-asparagine in urine of patients with aspartylglycosaminuria by gas-liquid chromatography, 718
MEHTA, PRADEEP K., SODHI, BRIJNANDAN, ARRUDA, JOSE A. L., and KURTZMAN, NEIL A. Interaction of amiloride and lithium on distal urinary acidification, 983
MERIN, S. (*see* Yatziv, Statter, and Merin), 749
METZ, JACK (*see* Fernandes-Costa and Metz), 181
MEYER, DOMINIQUE (*see* Girma et al.), 926
MEZEY, ESTEBAN, POTTER, JAMES J., IBER, FRANK L., and MADDREY, WILLIS C. Hepatic collagen proline hydroxylase activity in alcoholic hepatitis: effect of *d*-penicillamine, 92
MILLER, A. (*see* Abu-Sin et al.), 973
MILLER, F. N. (*see* Rubin et al.), 910
MILLER, ORIN (*see* Caro et al.), 449
MILTON, JOHN G., and FROJMOVIC, M. M. Invaginated plasma membrane of human platelets: evagination and measurement in normal and "giant" platelets, 162
—, —. Shape-changing agents produce abnormally large platelets in hereditary "giant platelets syndrome (MPS)," 154
MISHKIND, MICHAEL H. (*see* Bay et al.), 78

MONTOYA, E., WILBER, J. F., and LORINCZ, M. Catecholaminergic control of thyrotropin secretion, 887
MORAWSKI, STEPHEN G. (*see* Read et al.), 381
MORRIS, MICHAEL J. (*see* Soltis et al.), 238
MOSTOW, STEVEN R. (*see* Dreisin and Mostow), 674
MURRAY, THOMAS (*see* Caro et al.), 449
MUSTARD, J. F. (*see* Cazenave et al.), 60
MUTO, YASUTOSHI (*see* Imawari et al.), 171

N

NAGEL, RONALD L. (*see* Roth, Bookchin, and Nagel), 867
NAIR, S. RAMCHANDRAN (*see* Khan et al.), 295
NAKAYAMA, FUMIO (*see* Masuda and Nakayama), 353
NELSON, HOWARD A. (*see* Shah et al.), 370
NOLPH, K. D., TWARDOWSKI, Z. J., POPOVICH, R. P., and RUBIN, J. Equilibration of peritoneal dialysis solutions during long-dwell exchanges, 246
— (*see* Rubin et al.), 910
NOLTEN, W. E., RUECKERT, P. A., LINDHEIMER, M. D., OPARIL, S., and EHRLICH, E. N. Simple method for determining free cortisol index in plasma: measurements in human pregnancy, 146
NORBY, DAVID P. (*see* Malemud et al.), 1018
NUNEZ, M. T. (*see* Black et al.), 645

O

OCKNER, ROBERT K. (*see* Scharschmidt et al.), 790
O'DEA, JOHN P. K., WIELAND, RALPH G., HALLBERG, MARVIN C., LLERENA, LUIS A., ZORN, ELINOR M., and GENUTH, SAUL M. Effect of dietary weight loss on sex steroid binding, sex steroids, and gonadotropins in obese postmenopausal women, 1004
OKADA, S., JARVIS, B., and BROWN, E. B. In vivo evidence for functional heterogeneity of transferrin-bound iron, 189
OKITA, GEORGE T. (*see* Shah et al.), 370
OKUMURA, T. (*see* Jamieson et al.), 652
OLUBOYEDE, O. A., TSAN, G. J. F., FRANCIS, T. I., and LUZZATTO, L. Genetically determined deficiency of glucose 6-phosphate dehydrogenase (type A$^-$) is expressed in liver, 783
OPARIL, SUZANNE (*see* Gupta, Oparil, and Szidon), 940
— (*see* Nolten et al.), 146
OWENS, ODESSA (*see* Fletcher et al.), 1054

P

PACKHAM, MARIAN A. (*see* Cazenave et al.), 60
PATTON, G. (*see* Gerich et al.), 1009
PEARLSTEIN, EDWARD, COOPER, LEWIS B., and KARPATKIN, SIMON. Extraction and characterization of platelet-aggregating material from SV40-transformed mouse 3T3 fibroblasts, 332
PIERIDES, A. M., SKILLEN, A. W., and ELLIS, H. A. Serum alkaline phosphatase in azotemic and hemodialysis osteodystrophy, 899
PLETSCHER, A. (*see* Graf et al.), 257
PLOW, EDWARD F., DE COCK, FRANS, and COLLEN, DÉSIRÉ. Immunochemical characterization of plasmin-antiplasmin system. Basis for specific detection of plasmin-antiplasmin complex by latex agglutination assays, 199
POPOVICH, R. P. (*see* Nolph et al.), 246
POTTER, JAMES J. (*see* Mezey et al.), 92
PRATT, J. HOWARD, and LUFT, FRIEDRICH C. Effect of extremely high sodium intake on plasma renin activity, plasma aldosterone concentration, and urinary excretion of aldosterone metabolites, 724
PRENTISS, ROBIN A. (*see* Bond, Prentiss, and Levitt), 594

Q

QUINTANA, CARLOS (*see* Accatino et al.), 706

R

RABEN, MARIAN (*see* Weidman et al.), 549
RAMSEY, ROSEMARY B. (*see* Alving et al.), 437
RASMUSSEN, G. L., and KUSHNER, J. P. Enzymatic decarboxylation of naturally occurring isomers of uroporphyrinogen by human erythrocytes, 54
RAYMOND, SHARON L., and DODDS, W. JEAN. Platelet membrane glycoproteins in normal dogs and dogs with hemostatic defects, 607
RAYYES, AMER N. (*see* Frank et al.), 402
READ, NICHOLAS W., KREJS, GUENTER J., BARKLEY, RONALD M., MORAWSKI, STEPHEN G., and FORDTRAN, JOHN S. Spontaneous secretion from dog small intestine in vivo, 381
RECHES, AVINOAM, ELDOR, AMIRAM, and SALOMON, YORAM. Heparin inhibits PGE_1-sensitive adenylate cyclase and antagonizes PGE_1 antiaggregating effect in human platelets, 638
REESE, A. L. (*see* Abu-Sin et al.), 973
REID, WILLIAM E. (*see* Angers et al.), 528
REPINE, JOHN E. (*see* Hoidal, White, and Repine), 857
RICHARDS, J. G. (*see* Graf et al.), 257
RICHARDSON, MARY (*see* Cazenave et al.), 60
RICKLES, F. R., LEVIN, J., ROSENTHAL, D. I., and ATKINS, E. Functional interaction of concanavalin A and bacterial endotoxin (lipopolysaccharide): effects on measurement of endogenous pyrogen release, human mononuclear cell tissue factor activation, lymphocyte DNA synthesis, and gelation of *Limulus* amebocyte lysate, 128
RINEHART, JOHN J., VESSELLA, ROBERT, LANGE, PAUL, KAPLAN, MANUEL E., and GORMUS, B. J. Characterization and comparison of human monocyte- and macrophage-induced tumor cell cytotoxicity, 361
RITCHIE, JAMES L., COBB, LEONARD A., and HARVER, LAURENCE A. Platelet survival in patients previously resuscitated from out-of-hospital ventricular fibrillation, 310
RIZZA, R. (*see* Gerich et al.), 1009
ROBINSON, S. H. (*see* Black et al.), 645
ROSENBERG, IRWIN H. (*see* Russell et al.), 428
ROSENTHAL, D. I. (*see* Rickles et al.), 128
ROSSI, E. C., LOUIS, C., and ZELLER, E. A. Structure activity relationships between catecholamines and α-adrenergic receptor responsible for aggregation of human platelets by epinephrine, 286
ROTH, EUGENE F., JR., BOOKCHIN, ROBERT M., and NAGEL, RONALD L. Deoxyhemoglobin S gelation and insolubility at high ionic strength are distinct phenomena, 867
ROZEN, MICHAEL G. (*see* Goldstein, Rozen, and Amoruso), 687
RUBIN, J., NOLPH, K. D., ARFANIA, D., JOSHUA, I. G., MILLER, F. N., WIEGMAN, D. L., and HARRIS, P. D. Clinical studies with nonvasoactive peritoneal dialysis solution, 910
— (*see* Nolph et al.), 246
RUECKERT, P. A. (*see* Nolten et al.), 146

RUSSELL, ROBERT M., DHAR, G. JEELANI, DUTTA, SUDHIR K., and ROSENBERG, IRWIN H. Influence of intraluminal pH on folate absorption: studies in control subjects and in patients with pancreatic insufficiency, 428
RUSTUM, YOUCEF M. (*see* Danhauser and Rustum), 1047

S

SAHN, STEVEN A. (*see* Taryle, Good, and Sahn), 1041
SALMON, W. D., JR. (*see* Graber et al.), 25
SALOMON, YORAM (*see* Reches, Eldor, and Salomon), 638
SAPOLSKY, ASHER I. (*see* Malemud et al.), 1018
SCHACTER, BRENT A., YODA, BINKOH, and ISRAELS, LYONEL G. Human spleen heme oxygenase and microsomal electron transport system component activity in normals and in patients with hemolytic anemia, idiopathic thrombocytopenic purpura, and lymphoproliferative disorders, 838
SCHADE, STANLEY (*see* Fried et al.), 700
SCHARSCHMIDT, BRUCE F., KEEFFE, EMMET B., BLANKENSHIP, NANCY M., and OCKNER, ROBERT K. Validation of recording spectrophotometric method for measurement of membrane-associated Mg- and NaK-ATPase activity, 790
SCHMIDT, MICHAEL (*see* Boxer et al.), 506
SCHONFELD, GUSTAV (*see* Weidman et al.), 549
SENIOR, ROBERT M. (*see* Fantone et al.), 17
SHAH, GAURANG, NELSON, HOWARD A., ATKINSON, ARTHUR J., JR., OKITA, GEORGE T., IVANOVICH, PETER, and GIBSON, THOMAS P. Effect of hemoperfusion on pharmacokinetics of digitoxin in dogs, 370
SHEPARD, R. M. (*see* Horst et al.), 277
SHULER, S. E. (*see* Berenson et al.), 535
SHULTS, MARK C. (*see* Updike, Shults, and Busby), 518
SIMCHOWITZ, LOUIS, and SPILBERG, ISAIAS. Generation of superoxide radicals by human peripheral neutrophils activated by chemotactic factor. Evidence for role of calcium, 583
SIMONIAN, YASMEN (*see* Kitahara, Simonian, and Eyre), 232
SIZEMORE, GLEN W. (*see* Heath and Sizemore), 390
SKILLEN, A. W. (*see* Pierides, Skillen, and Ellis), 899
SODHI, BRIJNANDAN (*see* Mehta et al.), 983
SOELDNER, J. STUART (*see* Solway et al.), 962
SOLTIS, RONALD D., MORRIS, MICHAEL J., HASZ, DIANE E., and WILSON, I. DODD. Influence of endogenous serum C1q on ^{125}I-C1q binding test, 238
SOLWAY, JULIAN, MCDONALD, MELISENDA, BUNN, H. FRANKLIN, AUN, FREDERICKO, COLE, RICHARD, and SOELDNER, J. STUART. Biosynthesis of glycosylated hemoglobins in monkey, 962
SOVIERO, STEVE (*see* Angers et al.), 528
SPILBERG, ISAIAS (*see* Simchowitz and Spilberg), 583
STATTER, M. (*see* Yatziv, Statter, and Merin), 749
SUAREZ, BRIAN (*see* Weidman et al.), 549
SULLIVAN, JAMES F., JETTON, MARY M., and BURCH, ROBERT E. Zinc tolerance test, 485
SUSSMAN, CRAIG R. (*see* Workman et al.), 847
SWAMY, ALAGIRI P., WOOLF, PAUL D., and CESTERO, RAFAEL V. M. Hypothalamic-pituitary-ovarian axis in uremic women, 1066
SZIDON, JAN P. (*see* Gupta, Oparil, and Szidon), 940

T

TAN, ENG M. (*see* Wilson, Arroyave, and Tan), 493
TARYLE, DAVID A., GOOD, JAMES T., JR., and SAHN, STEVEN A. Acid generation by pleural fluid: possible role in determination of pleural fluid pH, 1041
TAYLOR, F. B., JR. (*see* Comp, Jacocks, and Taylor), 120
THOMPSON, ARTHUR R. Human plasma P component (protein AP): changes during growth and development and evidence for hepatocellular synthesis, 736
TRABOLD, NORMA C. (*see* Tuddenham et al.), 40
TRAMONT, EDMUND C., HODGE, WAVELL C., GILBREATH, MICHAEL J., and CIAK, JENNIE. Differences in attachment antigens of gonococci in reinfection, 730
TRELSTAD, ROBERT L., and CARVALHO, ANGELINA C. A. Type IV and type "A-B" collagens do not elicit platelet aggregation or serotonin release reaction, 499
TROTMAN, BRUCE W. Insights into pigment stone disease, 349
TSAN, G. J. F. (*see* Oluboyede et al.), 783
TUDDENHAM, EDWARD G. D., TRABOLD, NORMA C., COLLINS, JOHN A., and HOYER, LEON W. Properties of factor VIII coagulant activity prepared by immunoadsorbent chromatography, 40
TULVEVSKI, VASIL (*see* Fletcher et al.), 1054
TURNER, ROBERT (*see* Angers et al.), 528
TWARDOWSKI, Z. J. (*see* Nolph et al.), 246

U

UPDIKE, STUART J., SHULTS, MARK C., and BUSBY, MICHAEL. Continuous glucose monitor based on an immobilized enzyme electrode detector, 518
URBANIA, CAROL (*see* Angers et al.), 528

V

VANCOUVERING, KENNETH (*see* Felsher, Carpio, and VanCouvering), 414
VAN DER WEYDEN, MARTIN B. (*see* Hayman, Fong, and Van der Weyden), 480
VESSELLA, ROBERT (*see* Rinehart et al.), 361
VOGEL, CHRISTINE N., KINGDON, HENRY S., and LUNDBLAD, ROGER L. Correlation of in vivo and in vitro inhibition of thrombin by plasma inhibitors, 661
VOORS, A. W. (*see* Berenson et al.), 535

W

WARD, PETER A. (*see* Fantone et al.), 17
WASHINGTON, ANNABELLE (*see* Frank et al.), 402
WEBBER, L. S. (*see* Berenson et al.), 535
WEIDMAN, STUART W., SUAREZ, BRIAN, FALKO, JAMES M., WITZTUM, JOSEPH L., KOLAR, JANET, RABEN, MARIAN, and SCHONFELD, GUSTAV. Type III hyperlipoproteinemia: development of VLDL ApoE gel isoelectric focusing technique and application in family studies, 549
WEINER, MARC H., and COATS-STEPHEN, MARION. Immunodiagnosis of systemic aspergillosis. I. Antigenemia detected by radioimmune assay in experimental infection, 111
WEIRICH, C. J. (*see* Highsmith, Burnett, and Weirich), 459
WEISBART, RICHARD H., BILLING, RONALD, and GOLDE, DAVID W. Neutrophil migration-inhibition activity produced by unique T lymphoblast cell line, 622
WEISS, H. J. (*see* Jamieson et al.), 652
WEITZMAN, GLENN A. (*see* Malemud et al.), 1018

WERTS, E. DAY, GIBSON, D. PHILLIP, and DEGOWIN, RICHARD L. Chronic inflammation suppresses bone marrow stromal cells and medullary erythropoiesis, 995
WHITE, JAMES G. (*see* Hoidal, White, and Repine), 857
WIEGMAN, D. L. (*see* Rubin et al.), 910
WIELAND, RALPH G. (*see* O'Dea et al.), 1004
WILBER, J. F. (*see* Montoya, Wilber, and Lorincz), 887
WILSON, I. DODD (*see* Soltis et al.), 238
WILSON, GREGORY B., and FUDENBERG, H. HUGH. Effects of dialyzable leukocyte extracts with transfer factor activity on leukocyte migration in vitro. II. Separation and partial characterization of components in DLE producing antigen-dependent and antigen-independent effects, 819
—, —, and HORSMANHEIMO, MAIJA. Effects of dialyzable leukocyte extracts with transfer factor activity on leukocyte migration in vitro. I. Antigen-dependent inhibition and antigen-independent inhibition and enhancement of migration, 800
WILSON, J. B. (*see* Abu-Sin et al.), 973
WILSON, MERLIN R., ARROYAVE, CARLOS M., and TAN, ENG M. Activation of alternative pathway of complement by antiserum to factor B, 493
WINSLOW, R. (*see* Charache et al.), 316
WITZTUM, JOSEPH L. (*see* Weidman et al.), 549
WONG, NORMAN L. M. (*see* Carney, Wong, and Dirks), 950
WOOLF, PAUL D. (*see* Swamy, Woolf, and Cestero), 1066
WORKMAN, ROBERT J., SUSSMAN, CRAIG R., BURKITT, DONNA W., and LIDDLE, GRANT W. Circulating levels of angiotensin I measured by radioimmunoassay in hypertensive subjects, 847

Y

YATZIV, S., STATTER, M., and MERIN, S. Metabolic studies in two families with hyperornithinemia and gyrate atrophy of choroid and retina, 749
YODA, BINKOH (*see* Schacter, Yoda, and Israels), 838
YODER, MARVIN (*see* Boxer et al.), 506

Z

ZELLER, E. A. (*see* Rossi, Louis, and Zeller), 286
ZIERDT, W. (*see* Jaffe and Zierdt), 879
ZORN, ELINOR M. (*see* O'Dea et al.), 1004

Subject index*

A

4-N-2-Acetamido-2-deoxy-β-D-glucopyranosyl-L-asparagine, quantitation in urine of patients with aspartylglycosaminuria by gas-liquid chromatography, 718

Acetylcysteine, adverse effect on sulfhydryl-mediated depression of ciliary activity, 674

Acid generation by pleural fluid: possible role in determination of pleural fluid pH, 1041

Acidification, urinary, distal, interaction of amiloride and lithium on, 983

Activity structure relationships between catecholamines and α-adrenergic receptor responsible for aggregation of human platelets by epinephrine, 286

Adenosine triphosphatase activity, magnesium- and sodium-potassium, membrane-associated, spectrophotometric method for measuring, validation of, 790

Adenylate cyclase, PGE_1-sensitive, in human platelets, inhibited by heparin, 638

Adherence of human polymorphonuclear leukocytes, effects of chemotactic factor, *N*-formylmethionyl peptide, on, 506

-inhibition assay, leukocyte, for diagnosing multiple sclerosis: study of substance found in MS blood, 528

α-Adrenergic receptor responsible for aggregation of human platelets by epinephrine, structure activity relationships with catecholamines, 286

Agglutination, platelet, ristocetin-induced, mechanism of, studies on binding of ristocetin to platelets, 220

Aggregating (platelet) material from SV40-transformed mouse 3T3 fibroblasts, extraction and characterization of, 332

Aggregation, platelets, human, by epinephrine, α-adrenergic receptor responsible for, structure activity relationships with catecholamines, 286

or serotonin release reaction not elicited by type IV or type "A-B" collagens, 499

Alcoholic hepatitis, hepatic collagen proline hydroxylase activity in: effect of *d*-penicillamine on, 92

Aldosterone metabolites, urinary excretion of, effect of extremely high sodium intake on, 724

plasma concentration, effect of extremely high sodium intake on, 724

Alkaline phosphatase, serum, in azotemic and hemodialysis osteodystrophy: isoenzyme patterns, correlation with bone histology, and response to treatment with $1\alpha OHD_3$ and $1,25(OH)_2 D_3$, 899

Alternative pathway of complement, activation by antiserum to factor B, 493

Alveolar macrophages, human, metabolism and ultrastructure, influence of cationic local anesthetics on, 857

Amiloride and lithium, interaction on distal urinary acidification, 983

Aminoglycoside antibiotics inducing abnormal neutrophil chemotaxis and random migration, 295

Aminonucleoside-induced nephrosis in rats, glomerular permeability in: proposed role of endothelial cells, 266

Anephric and nephric uremic patients, erythropoietin levels in, 449

Anesthetics, local, cationic, influence on metabolism and ultrastructure of human alveolar macrophages, 857

Angiotensin-converting enzyme levels, serum, in sarcoidosis, clinical significance of, 940

I, circulating levels of, in hypertensive subjects, measured by radioimmunoassay, 847

Antiaggregating effect of PGE_1 in human platelets antagonized by heparin, 638

Antibiotics, aminoglysoside, inducing abnormal neutrophil chemotaxis and random migration, 295

Antibod(y)ies, antimicrosomal, and thyroid-stimulating hormone, serum, as screen for autoimmune thyroid disease, 1035

-bound and free antigen, radioimmunoassay to separate, protein A–containing *Staphylococcus aureus* as immunoadsorbent in, 614

Anticoagulant treatment, influence on laboratory findings in blood coagulation system pathophysiology in acute myocardial infarction, 1054

Anti-DNA with Farr method: poorer indicator of active SLE than complement-fixing anti–double-stranded DNA with *Crithidia* method, 32

Anti–double-stranded DNA, complement-fixing, with *Crithidia* method: better indicator of active SLE than anti-DNA with Farr method, 32

Antigen(s), antibody-bound and free, radioimmunoassay to separate, protein A–containing *Staphylococcus aureus* as immunoadsorbent in, 614

attachment, of gonococci in reinfection, differences in, 730

-dependent inhibition of leukocyte migration in vitro, effects of dialyzable leukocyte extracts with transfer activity on, 800, 819

-independent inhibition and enhancement of leukocyte migration in vitro, effects of dialyzable leukocyte extracts with transfer factor activity, 800, 819

*January, pp. 1-180; February, pp. 181-348; March, pp. 349-514; April, pp. 515-694; May, pp. 695-894; June, pp. 895-1092.

Antigenemia detected by radioimmunoassay in experimental systemic aspergillosis, 111
Antimicrosomal antibodies and thyroid-stimulating hormone, serum, as screen for autoimmune thyroid disease, 1035
Antiserum to factor B, activation of alternative pathway of complement by, 493
Apolipoprotein E; *see* VLDL ApoE
Articular chondrocytes, lapine, monolayer-cultured, metal-dependent neutral proteoglycanase activity from, 1018
Ascites, refractory, cirrhosis with, splanchnic hemodynamic factors in, 301
Aspartylglycosaminuria, urinie of patients with, quantitation of 4-*N*-2-acetamido-2-deoxy-β-D-glucopyranosyl-L-asparagine in, by gas-liquid chromatography, 718
Aspergillosis, systemic, immunodiagnosis of. I. Antigenemia detected by radioimmunoassay in experimental infection, 111
ATPase; *see* Adenosine triphosphatase
Atrophy, gyrate, of choroid and retina and hyperornithinemia, metabolic studies in two families with, 749
Attachment antigens of gonococci in reinfection, differences in, 730
Autoimmune thyroid disease, screen for, serum thyroid-stimulating hormone and antimicrosomal antibodies as, 1035
Azotemic and hemodialysis osteodystrophy, serum alkaline phosphatase in: isoenzyme patterns, correlation with bone histology, and response to treatment with $1\alpha OHD_3$ and $1,25(OH)_2D_3$, 899

B

Bacteremia, *Pseudomonas aeruginosa:* bacterial enzyme production and pyocine types related to clinical prognosis in, 600
Bacterial endotoxin (lipopolysaccharide) and concanavalin A, functional interaction of: effect on measurement of endogenous pyrogen release, human mononuclear cell tissue factor activation, lymphocyte DNA synthesis, and gelation of *Limulus* amebocyte lysate, 128
enzyme production and pyocine types related with clinical prognosis in *Paeudomonas aeruginosa* bacteremia, 600
Bernard-Soulier syndrome, platelet membrane glycoproteins in, 652
Bile acid excretion and bile flow, effect of complete biliary obstruction on: postcholestatic choleresis in rat, 706
flow and bile acid excretion, effect of complete biliary obstruction on: postcholestatic choleresis in rat, 706
pigment in gallstones and bile, composition and etiological significance of, 353
Biliary β-glucuronidase in rats, activity of, 916
obstruction, complete, effect on bile flow and bile acid excretion: postcholestatic choleresis in rat, 706
Bilirubin sensitivity of zinc protoporphyrin hematofluorometers (Letter to Editor), 1050
Biochemical quantitation of chemotactic factor inactivator activity in human serum, 17
Biomedical clinical research and training: challenge for medical subspecialties, 1
Biosynthesis of glycosylated hemoglobins in monkey, 962
Blood coagulation system pathophysiology in acute myocardial infarction: influence of anticoagulant treatment on laboratory findings, 1054
dilute whole, clot lysis assay: screening method for postoperative patients with high incidence of deep venous thrombosis, 120
flow to stomach, small bowel, and colon of conscious dog, effect of feeding on, 594
glucose analysis, continuous: new tool or old toy, 515
MS, substance found in, used in leukocyte adherence-inhibition assay in diagnosing multiple sclerosis, 528
occult, new test for, not subject to false-negative results from reducing substances, 879
platelets isolated by polysaccharide gradients: reaction to 5-hydroxytryptamine, 257
pressure of white and black children related to creatinine clearance, electrolytes, and plasma renin activity—The Bogalusa Heart Study, 535
Bone histology, correlation with isoenzyme patterns indicating serum alkaline phosphatase in azotemic and hemodialysis osteodystrophy, 899
marrow cells, mouse, erythroid colony formation by, glucocorticoid-mediated inhibition of, 872
stromal, and medullary erythropoiesis, chronic inflammation suppressing, 995

C

$C\bar{1}$-esterase inhibitor and plasmin, interaction in human euglobulin, 459
C1q, endogenous serum, influence on ^{125}I-C1q binding test, 238
Calcitonin in tumor, tumor venous effluent, and peripheral blood of patients with medullary thyroid carcinoma, immunochemical heterogeneity of, 390
Calcium having role in generation of superoxide radicals by human peripheral neutrophils activated by chemotactic factor, 583
Carbon tetrachloride, effect on extrarenal erythropoietin production in rats, 700
Carcinoma, medullary thyroid, calcitonin in tumor, tumor venous effluent, and peripheral blood of patients with, immunochemical heterogeneity of, 390
Catecholaminergic control of thyrotropin secretion, 887
Catecholamines and α-adrenergic receptor responsible for aggregation of human platelets by epinephrine, structure activity relationships between, 286
Cationic local anesthetics, influence on metabolism and ultrastructure of human alveolar macrophages, 857
Cell line, T lymphoblast, unique, neutrophil migration-inhibition activity produced by, 622
tissue factor, mononuclear, human, activation of, functional interaction of concanavalin A and bacterial endotoxin (lipopolysaccharide) in measurement of, 128
Chemotactic activity, complement (C5)-derived, endogenous regulation of: fine-tuning of inflammation, 13
factor activating human peripheral neutrophils in generation of superoxide radicals: evidence for role of calcium, 583
inactivator activity, biochemical quantitation in human serum, 17

Chemotactic factor—cont'd
N-formylmethionyl peptide, effects on adherence, superoxide anion generation, phagocytosis, and microtubule assembly of human polymorphonuclear leukocytes, 506
Chemotaxis, neutrophil, abnormal, and random migration induced by aminoglycoside antibiotics, 295
Children, white and black, blood pressure of, related to creatinine clearance, electrolytes, and plasma renin activity—The Bogalusa Heart Study, 535
Choleresis, postcholestatic, in rat: effect of complete biliary obstruction on bile flow and bile acid excretion in, 706
Chondrocytes, lapine articular, monolayer-cultured, metal-dependent neutral proteoglycanase activity from, 1018
Choroid and retina, gyrate atrophy of, and hyperornithinemia, metabolic studies in two families with, 749
Chromatography, gas-liquid, for quantitating 4-*N*-2-acetamido- 2-deoxy-β -D-glucopyranosyl- L-asparagine in urine of patients with aspartylglycosaminuria, 718
immunoadsorbent, factor VIII coagulant activity prepared by, properties of, 40
Chronic inflammation suppressing bone marrow stromal cells and medullary erythropoiesis, 995
renal failure, pancreatitis complicating, serum isoamylase measurements in, 71
Ciliary activity, depression of, sulhydryl-mediated: adverse effect of acetylcysteine, 674
Cirrhosis with refractory ascites, splanchnic hemodynamic factors in, 301
Clinical biomedical research and training: challenge for medical subspecialties, 1
prognosis in *Pseudomonas aeruginosa* bacteremia related to bacterial enzyme production and pyocine types, 600
significance of serum angiotensin-converting enzyme levels in sarcoidosis, 940
studies with nonvasoactive peritoneal dialysis solution, 910
Clot lysis assay, dilute whole blood: screening method for postoperative patients with high incidence of deep venous thrombosis, 120
Coagulation system, blood, pathophysiology in acute myocardial infarction: influence of anticoagulant treatment on laboratory findings, 1054
Collagen(s)-coated surface and subendothelium, platelet adherence to, measured with rotating probe device, by quantitative radioisotopic measurement and scanning electron microscopy, 60
proline hydroxylase activity, hepatic, in alcoholic hepatitis: effect of *d*-penicillamine, 92
type IV and type "A-B," not eliciting platelet aggregation or serotonin release reaction, 499
Colon, stomach, and small bowel of conscious dog, blood flow to, effect of feeding on, 594
Complement, alternative pathway of, activation by antiserum to factor B, 493
(C5)-derived chemotactic activity, endogenous regulation of: fine-tuning of inflammation, 13
-fixing anti–double-stranded DNA with *Crithidia* method: better indicator of active SLE than anti-DNA with Farr method, 32
Concanavalin A and bacterial endotoxin (lipopolysaccharide), functional interaction of: effect on measurement of endogenous pyrogen release, human mononuclear cell tissue factor activation, lymphocyte DNA synthesis, and gelation of *Limulus* amebocyte lysate, 128
Continuous blood glucose analysis: new tool or old toy, 515
glucose monitor based on immobilized enzyme electrode detector, 518
Cortisol, free, index in plasma, simple method for: measurements in human pregnancy, 146
Creatinine clearance, electrolytes, and plasma renin activity related to blood pressure of white and black children—The Bogalusa Heart Study, 535
Crithidia method using complement-fixing anti–double-stranded DNA: better indicator of active SLE than Farr method using anti-DNA, 32
Cyclic 3':5'-GMP–promoting factor in erythropoietin preparations, endotoxin as, 25
Cytotoxicity of human tumor cell, monocyte- and macrophage-induced, 361

D

Decarboxylation, enzymatic, of naturally occurring isomers of uroporphyrinogen by human erythrocytes, 54
Deep venous thrombosis, postoperative patients with high incidence of, dilute whole blood clot lysis assay as screening method for, 120
Deoxyhemoglobin S, gelation and insolubility at high ionic strength, distinct phenomena, 867
Diabetes, streptozotocin, acute effects on rat renal function, 950
Dialysis solution(s), peritoneal, equilibration during long-dwell exchanges, 246
nonvasoactive, clinical studies with, 910
Dialyzable leukocyte extracts with transfer factor activity, effects on leukocyte migration in vitro. I. Antigen-dependent inhibition and antigen-independent inhibition and enhancement of migration, 800; II. DLE components producing antigen-dependent and antigen-independent effects, 819
Dietary weight loss, effect on sex steroid binding, sex steroids, and gonadotropins in obese postmenopausal women, 1004
Digitoxin, pharmacokinetics in dogs, effect of hemoperfusion on, 370
Dihydrotachysterol therapy, effect on measurement of plasma 1,25-$(OH)_2$-vitamin D in humans, 1031
1,25-Dihydroxyvitamin D, plasma, in humans, measurement of, effects of dihydrotachysterol therapy on, 1031
24, 25- and 25, 26-, in plasma from normal and nephrectomized man, 277
DLE; *see* Dialyzable leukocyte extracts
DNA, complement-fixing anti–double-stranded, with *Crithidia* method: better indicator of active SLE than anti-DNA with Farr method, 32
synthesis, lymphocyte, measurement of, functional interaction of concanavalin A and bacterial endotoxin (lipopolysaccharide) in, 128
Dog(s), conscious, blood flow to stomach, small bowel, and colon of, effect of feeding on, 594
normal and with hemostatic defect, platelet membrane glycoproteins in, 607

Dog(s)—cont'd
pharmacokinetics of digitoxin in, effect of hemoperfusion on, 370
and rats, alterations of hydrogen ion homeostasis in pure potassium depletion studied in, during recovery phase, 321
small intestine, spontaneous secretion from, in vivo, 381
Drug infusion, continuous, in unrestrained rats, method for: application in evaluating toxicity of 5-fluorouracil/thymidine combinations, 1047

E

Electrode detector, enzyme, immobilized, for continuous monitoring of glucose, 518
Electrolytes, creatinine clearance, and plasma renin activity related to blood pressure of white and black children—The Bogalusa Heart Study, 535
Endogenous pyrogen release, functional interaction of concanavalin A and bacterial endotoxin (lipopolysaccharide) in measuring, 128
regulation of complement (C5)-derived chemotactic activity: fine-tuning of inflammation, 13
serum C1q, influence on ^{125}I-C1q binding test, 238
Endothelial cells, proposed role in glomerular permeability in aminonucleoside-induced nephrosis in rats, 266
Endotoxin as cyclic 3′:5′-GMP–promoting factor in erythropoietin preparations, 25
relative sensitivities of platelet and fibrinogen production to, 437
Enzymatic decarboxylation of naturally occurring isomers of uroporphyrinogen by human erythrocytes, 54
Enzyme, angiotensin-converting, serum levels in sarcoidosis, clinical significance of, 940
bacterial, production, and pyocine types related to clinical prognosis in *Pseudomonas aeruginosa* bacteremia, 600
electrode detector, immobilized, for continuous monitoring of glucose, 518
Epinephrine, human platelet aggregation by, α-adrenergic receptor responsible for, structure activity relationships with catecholamines, 286
Equilibration of peritoneal dialysis solutions during long-dwell exchanges, 246
Erythrocytes, human, enzymatic decarboxylation of naturally occurring isomers of uroporphyrinogen by, 54
membrane extracts, lipid-containing, fluorescence in, relation to in vivo lipid peroxidation, 687
Erythroid colony formation by mouse bone marrow cells, glucocorticoid-mediated inhibition of, 872
Erythropoiesis, medullary, and bone marrow stromal cells, chronic inflammation suppressing, 995
Erythropoietin levels in uremic nephric and anephric patients, 449
preparations, endotoxin as cyclic 3′:5′-GMP–promoting factor in, 25
production, extrarenal, 695
in rats, effect of carbon tetrachloride on, 700
Esterified cholesterol, in vivo metabolism of, in plasma high-density lipoproteins of rabbits, 570
Ethanol, acute administration of, effect on hepatic regeneration, 402
Euglobulin, human, interaction of $\overline{C1}$-esterase inhibitor and plasmin in, 459
Evagination and measurement of invaginated plasma membrane in normal and "giant" human platelets, 162
Experimental radiation pneumonitis. III. Phospholipid studies on lungs, 627
Extrarenal erythropoietin production, 695
in rats, effect of carbon tetrachloride on, 700

F

Factor B, antiserum to, activation of alternative pathway of complement by, 492
VIII coagulant activity prepared by immunoadsorbent chromatography, properties of, 40
/von Willebrand factor in variants of von Willebrand's disease, fluid-phase immunoradiometric assay for detecting qualitative abnormalities of, 926
Farr method using anti-DNA: poorer indicator of active SLE than *Crithidia* method using complement-fixing anti–double-stranded DNA, 32
Fasting and phenobarbital, effect on hepatic UDP–glucuronic acid formation in rat, 414
Fibrillation, ventricular, out-of-hospital, patients previously resuscitated from, platelet survival in, 310
Fibrin degradation products, effect on regulation of fibrinogen synthesis, 758
Fibrinogen degradation products and homologous thrombin, effects on fibrinogen synthesis in rabbits, 768
and platelet production: relative sensitivities to endotoxin, 437
synthesis in rabbits, effects of homologous thrombin and fibrinogen degradation productions on, 768
regulation of: effect of fibrin degradation products, low-molecular-weight peptides of fibrinogenolysis, and fibrinopeptides A and B, 758
Fibrinogenolysis, low-molecular-weight peptides of, effect on regulation of fibrinogen synthesis, 758
Fibrinopeptides A and B, effect on regulation of fibrinogen synthesis, 758
Fibroblasts, 3T3, in SV40-transformed mouse, extraction and characterization of platelet-aggregating material from, 332
Fletcher-Huehns phenomenon in rat, isotransferrins as explanation of: in vivo evidence for functional heterogeneity of transferrin-bound iron, 189
Fluid-phase immunoradiometric assay for detecting qualitative abnormalties of factor VIII/von Willebrand factor in variants of von Willebrand's disease, 926
Fluorescence in lipid-containing red cell membrane extracts, relation to in vivo lipid peroxidation, 687
5-Fluorouracil/thymidine, toxicity of, evaluation of, method for continuous drug infusion in unrestrained rats used in, 1047
Folate absorption in control subjects and patients with pancreatic insufficiency, influence of intraluminal pH on, 428
antagonists, other, and methotrexate, simple radiometric assay for, 480

Folate—cont'd
binder, serum, specific, binding methylfolate and pteroylglutamic acid, 181
N-Formylmethionyl peptide (chemotactic factor), effects on adherence, superoxide anion generation, phagocytosis, and microtubule assembly of human polymorphonuclear leukocytes, 506
Free cortisol index in plasma, simple method for: measurements in human pregnancy, 146

G

Gallstone(s) (pigment) disease, insights into, 349
bile pigment in, and bile, composition and etiological significance of, 353
Gas-liquid chromatography for quantitating 4-N-2-acetamido-2-deoxy-β-D -glucopyranosyl-L-asparagine in urine of patients with aspartylglycosaminuria, 718
Gelation distinct from insolubility of deoxyhemoglobin S at high ionic strength, 867
of *Limulus* amebocyte lysate, functional interaction of concanavalin A and bacterial endotoxin (lipopolysaccharide) in measuring, 128
Genetically determined deficiency of glucose 6-phosphate dehydrogenase (type A⁻), expressed in liver, 783
"Giant platelets" and normal platelets, human, invaginated plasma membrane evaginated and measured in, 162
syndrome (MPS)," hereditary, abnormally large platelets produced in, by shape-changing agents, 154
Globin synthesis, effect of INH-inhibited heme synthesis on, 679
Glomerular permeability in aminonucleoside-induced nephrosis in rats: proposed role of endothelial cells, 266
Glucocorticoid-mediated inhibition of erythroid colony formation by mouse bone marrow cells, 872
Glucose, blood, continuous analysis: new tool or old toy, 515
monitor, continuous, based on immobilized enzyme electrode detector, 518
6-phosphate dehydrogenase deficiency, genetically determined (type A⁻), expressed in liver, 783
Glucuronic acid–UDP formation in rat, hepatic, effect of fasting and phenobarbital on, 414
β-Glucuronidase, biliary, in rats, activity of, 916
Glycoproteins, platelet membrane, in normal dogs and dogs with hemostatic defect, 607
in thrombasthenia, Bernard-Soulier syndrome, and storage pool disease, 652
Glycosylated hemoglobins, biosynthesis in monkey, 962
Gonadotropins, sex steroid binding, and sex steroids in obese postmenopausal women, effect of dietary weight loss on, 1004
GMP, *see* Guanosine monophosphate
Gonococci, attachment antigens of, differences in reinfection, 730
Granulocyte reserve, marrow, visualized, 101
3′:5′-Guanosine monophosphate, cyclic, endotoxin as promoting factor of, in erythropoietin preparations, 25
Gyrate atrophy of choroid and retina and hyperornithinemia, metabolic studies in two families with, 749

H

Hematofluorometers, zinc protoporphyrin, bilirubin sensitivity of (Letter to Editor), 345
Heme synthesis, INH-inhibited, effect on globin synthesis, 679
Hemodialysis and azotemic osteodystrophy, serum alkaline phosphatase in: isoenzyme patterns, correlation with bone histology, and response to treatment with $1\alpha OHD_3$ and $1,25(OH)_2D_3$, 899
Hemodynamic factors, splanchnic, in cirrhosis with refractory ascites, 301
Hemoglobin(s) β^A chain regulatory determinant, *cis*-mutation of: Hb P-Nilotic in association with β^0-thalassemia, 973
glycosylated, biosynthesis in monkey, 962
Hope/β^+ thalassemia, oxygen transport in woman with, 316
Hb P-Nilotic in association with β^0-thalassemia: *cis*-mutation of hemoglobin β^A chain regulatory determinant? 973
Hemolytic anemia, human spleen heme oxygenase and microsomal electron transport system component activity in, 838
Hemoperfusion, effect on pharmacokinetics of digitoxin in dogs, 370
Heparin inhibits PGE_1-sensitive adenylate cyclase and antagonizes PGE_1 antiaggregating effect in human platelets, 638
Hepatic; *see* Liver
Hepatitis, alcoholic, hepatic collagen proline hydroxylase activity in: effect of *d*-penicillamine on, 92
Hepatocellular synthesis of human plasma P component (protein AP), evidence for, 736
Heterogeneity, functional, of transferrin-bound iron, in vivo evidence for. V. Isotransferrins as explanation for Fletcher-Huehns phenomenon in rat, 189
Homeostasis, hydrogen ion, alterations in pure potassium depletion in, studied in rats and dogs during recovery phase, 321
Homologous thrombin and fibrinogen degradation products, effect on fibrinogen synthesis in rabbits, 768
Human alveolar macrophages, metabolism and ultrastructure of, influence of cationic local anesthetics on, 857
erythrocytes, enzymatic decarboxylation of naturally occurring isomers of uroporphyrinogen by, 54
euglobulin, interaction of $C\bar{1}$-esterase inhibitor and plasmin in, 459
hemoglobin Hope/β^+ thalassemia, oxygen transport in woman with, 316
kidney metabolizing *myo*-inositol, 210
monocyte- and macrophage-induced tumor cell cytotoxicity, 361
mononuclear cell tissue factor activation, functional interaction of concanavalin A and bacterial endotoxin (lipopolysaccharide) in measuring, 128
peripheral neutrophils generating superoxide radicals, activated by chemotactic factor: evidence for role of calcium, 583
plasma from normal and nephrectomized man, 24,25-and 25,26-dihydroxyvitamin D in, 277
1,25-$(OH)_2$-vitamin D in, effects of dihydrotachysterol therapy on measurement of, 1031
P component (protein AP): changes during growth and development and evidence for hepatocellular synthesis, 736
platelets, aggregation by epinephrine, α-adrenergic receptor responsible for, structure activity relationships with catecholamines, 286

Human platelets—cont'd
invaginated, plasma membrane of, evagination and measurement in normal and "giant" platelets, 162
PGE_1-sensitive adenylate cyclase inhibited in, and PGE_1 antiaggregating effect antagonized in, by heparin, 638
polymorphonuclear leukocytes, adherence, superoxide anion generation, phagocytosis, and microtubule assembly by, effects of *N*-formylmethionyl peptide on, 506
pregnancy, free cortisol index in plasma in, simple method for measuring, 146
serum, chemotactic factor inactivator activity in, biochemical quantitation of, 17
proteins, absence of significant urate binding to, 85
spleen heme oxygenase and microsomal electron transport system component activity in normals and in hemolytic anemia, idiopathic thrombocytopenic purpura, and lymphoproliferative disorders, 838
Hydrogen ion homeostasis, alterations in pure potassium depletion in, studied in rats and dogs during recovery phase, 321
5-Hydroxytryptamine, reaction to, of blood platelets isolated by polysaccharide gradients, 257
25-Hydroxyvitamin D, serum, and serum binding protein for vitamin D and its metabolites, effects of liver diseases on, 171
Hyperlipoproteinemia, type III: VLDL ApoE gel isoelectric focusing technique and application in family studies, 549
Hyperornithinemia and gyrate atrophy of choroid and retina, metabolic studies in two families with, 749
Hypertensive subjects, circulating levels of angiotensin I in, measured by radioimmunoassay, 847
Hypothalamic-pituitary-ovarian axis in uremic women, 1066

I

^{125}I-C1q binding test, influence of endogenous serum C1q on, 238
Idiopathic thombocytopenic purpura, human spleen heme oxygenase and microsomal transport system component activity in, 838
Immunoadsorbent chromatography, factor VIII coagulant activity prepared by, properties of, 40
in radioimmunoassay, protein A–containing *Staphylococcus aureus* as, to separate antibody-bound from free antigen, 614
Immunochemical characterization of plasmin-antiplasmin system: basis for specific detection of plasmin-antiplasmin complex by latex agglutination assays, 199
heterogeneity of calcitonin in tumor, tumor venous effluent, and peripheral blood of patients with medullary thyroid carcinoma, 390
Immunodiagnosis of systemic aspergillosis. I. Antigenemia detected by radioimmunoassay in experimental infection, 111
Immunoradiometric assay, fluid-phase, for detecting qualitative abnormalities of factor VIII/von Willebrand factor in variants of von Willebrand's disease, 926
In vitro excretion of pancreatic somatostatin, radioimmunoassay of somatostatin in study of, 1009
and in vivo inhibition correlated, of thrombin by plasma inhibitors, 661
In vivo evidence for functional heterogeneity of transferrin-bound iron. V. Isotransferrins as explanation for Fletcher-Huehns phenomenon in rat, 189
In vivo—cont'd
and in vitro inhibition of thrombin by plasma inhibitors correlated, 661
lipid peroxidation, relation to fluorescence in lipid-containing red cell membrane extracts, 687
metabolism of esterified cholesterol in plasma high-density lipoproteins of rabbits, 570
spontaneous secretion from dog small intestine, 381
Inflammation, chronic, suppressing bone marrow stromal cells and medullary erythropoiesis, 995
fine-tuning of, and endogenous regulation of complement (C5)-derived chemotactic activity, 13
Inflammatory and malignant diseases, monocyte functional and metabolic activity in, 472
INH-inhibited heme synthesis, effect on globin synthesis, 679
Insolubility distinct from gelation of deoxyhemoglobin S at high ionic strength, 867
Intraluminal pH, influence on folate absorption in control subjects and patients with pancreatic insufficiency, 428
Invaginated plasma membrane of human platelets: evagination and measurement in normal and "giant" platelets, 162
Iron-deficient and iron-replete rat reticulocytes, transferrin binding and iron transport in, 645
-replete and iron-deficient rat reticulocytes, transferrin binding and iron transport in, 645
transferrin-bound, functional heterogeneity of, in vivo evidence for. V. Isotransferrins as explanation for Fletcher-Huehns phenomenon in rat, 189
transport and transferrin binding in iron-deficient and iron-replete rat reticulocytes, 645
Isoamylase, serum, measurements in pancreatitis complicating chronic renal failure, 71
Isoelectric focusing technique, VLDL ApoE gel, for type III hyperlipoproteinemia and application in family studies, 549
Isoenzyme patterns, correlation with bone histology, and response to treatment with $1\alpha OHD_3$ and $1,25(OH)_2D_3$: serum alkaline phosphatase in azotemic and hemodialysis osteodystrophy, 899
Isomers of uroporphyrinogen, naturally occurring, enzymatic decarboxylation by human erythrocytes, 54
Isonicotinic acid hydrazide: *see* INH
Isotransferrins, explanation of Fletcher-Huehns phenomenon in rat: in vivo evidence for functional heterogeneity of transferrin-bound iron, 189

K

Kidney failure, chronic, pancreatitis complicating, serum isoamylase measurements in, 71
function, rat, acute effects of streptozotocin diabetes on, 950
human, metabolizing *myo*-inositol, 210
osteodystrophy: complex disorder, 895
perfusion pressure, fixed, sodium excretion at, effect of prostaglandin-synthesis stimulation and blockade on, 78

L

Lapine articular chondrocytes, monolayer-cultured, metal-dependent neutral proteoglycanase activity from, 1018

Latex agglutination assays for specific detection of plasmin-antiplasmin complex, based on immunochemistry of plasmin-antiplasmin system, 199
Leukocyte(s) adherence-inhibition assay for diagnosing multiple sclerosis: study of substance found in MS blood, 528
extracts, dialyzable, with transfer factor activity, effects on leukocyte migration in vitro. I. Antigen-dependent inhibition and antigen-independent inhibition and enhancement of migration, 800; II. DLE components producing antigen-dependent and antigen-independent effects, 819
polymorphonuclear, human, adherence, superoxide anion generation, phagocytosis, and microtubule assembly by, effect of chemotactic factor, *N*-formylmethionyl peptide, 506
Limulus amebocyte lysate, measurement of, interaction of concanavalin A and bacterial endotoxin (lipopolysaccharide) in, 128
Lipid-containing red cell membrane extracts, fluorescence in, relation to in vivo lipid peroxidation, 687
peroxidation, in vivo, relation of fluorescence in lipid-containing red cell membrane extracts to, 687
Lipopolysaccharide (bacterial endotoxin) and concanavalin A, functional interaction of: effects on measurement of endogenous pyrogen release, human mononuclear cell tissue factor activation, lymphocyte DNA synthesis, and gelation of *Limulus* amebocyte lysate, 128
Lipoprotein(s), plasma high-density, of rabbits, in vivo metabolism of esterified cholesterol in, 570
very-low-density; *see* VLDL
Lithium and amiloride, interaction on distal urinary acidification, 983
Liver collagen proline hydroxylase activity in alcoholic hepatitis: effect of *d*-penicillamine, 92
deficiency of glucose 6-phosphate dehydrogenase, genetically determined (type A$^-$), expressed in, 783
diseases, effects on serum 25-hydroxyvitamin D and on serum binding protein for vitamin D and its metabolites, 171
regeneration, effect of acute ethanol administration on, 402
UDP-glucuronic acid formation in rat, effect of fasting and phenobarbital on, 414
Long-dwell exchanges, equilibration of peritoneal dialysis solutions during, 246
Lungs, phospholipid studies on, in experimental radiation pneumonitis, 627
Lymphoblast, T, cell line, unique, neutrophil migration-inhibition activity produced by, 622
Lymphocyte DNA synthesis, functional interaction of concanavalin A and bacterial endotoxin (lipopolysaccharide) in measuring, 128
Lymphoproliferative disorders, human spleen heme oxygenase and microsomal transport system component activity in, 838

M

Macrophage(s), human alveolar, metabolism and ultrastructure, influence of cationic local anesthetics on, 857
and monocyte-induced tumor cell, human, cytotoxicity of, 361
Magnesium- and NaK-ATPase activity, membrane-associated, recording spectrophotometric method for measuring, validation of, 790
Malignant and inflammatory diseases, monocyte functional and metabolic activity in, 472
Marrow granulocyte reserve visualized, 101; *see also* Bone marrow
Medical subspecialties, clinical biomedical research and training as challenge for, 1
Medullary erythropoiesis and bone marrow stromal cells, chronic inflammation suppressing, 995
thyroid carcinoma, calcitonin in tumor, tumor venous effluent, and peripheral blood of patients with, immunochemical heterogeneity of, 390
Membrane-associated Mg- and NaK-ATPase activity, recording spectrophotometric method for measuring, validation of, 790
Metabolic and functional activity, monocyte, in malignant and inflammatory diseases, 472
studies in two families with hyperornithinemia and gyrate atrophy of choroid and retina, 749
Metabolism, in vivo, of esterified cholesterol in plasma high-density lipoproteins of rabbits, 570
of *myo*-inositol by human kidney, 210
and ultrastructure of human alveolar macrophages, influence of cationic local anesthetics on, 857
Metabolites, aldosterone, effect of extremely high sodium intake on, 724
Metal-dependent neutral proteoglycanase activity from monolayer-cultured lapine articular chondrocytes, 1018
Methotrexate and other folate antagonists, simple radiometric assay for, 480
Methylfolate and pteroylglutamic acid bound by specific serum folate binder, 181
Microsomal electron transport system and heme oxygenase of human spleen in normals and in hemolytic anemia, idiopathic thrombocytopenic purpura, and lymphoproliferative disorders, 838
Microtubule assembly of human polymorphonuclear leukocytes, effects of chemotactic factor, *N*-formylmethionyl peptide, on, 506
Migration-inhibition activity, neutrophil, produced by unique T lymphoblast cell line, 622
random, and abnormal neutrophil chemotaxis induced by aminoglycoside antibiotics, 295
Monkey, biosynthesis of glycosylated hemoglobins in, 962
Monocyte functional and metabolic activity in malignant and inflammatory diseases, 472
and macrophage-induced tumor cell, human, cytotoxicity of, 361
Monolayer-cultured lapine articular chondrocytes, metal-dependent neutral proteoglycanase activity from, 1018
Mononuclear cell tissue factor, human, activation of, functional interaction of concanavalin A and bacterial endotoxin (lipopolysaccharide) in measurement of, 128
Mouse bone marrow calls, erythroid colony formation by, glucocorticoid-mediated inhibition of, 872
SV40-transformed, 3T3 fibroblasts of, extraction and characterization of platelet-aggregating material from, 332
Multiple sclerosis, leukocyte adherence-inhibition assay as diagnostic tool for: study of substance found in MS blood, 528

Myeloperoxidase, neutrophil: simple, reproducible technique to determine activity, 232
Myocardial infarction, acute, blood coagulation system pathophysiology in: influence of anticoagulant treatment on laboratory findings, 1054
Myo-inositol, metabolism by human kidney, 210

N

Nephrectomized and normal man, plasma from, 24,25- and 25,26-dihydroxyvitamin D in, 277
Nephric and anephric uremic patients, erythropoietin levels in, 449
Nephrosis, aminonucleoside-induced, in rats, glomerular permeability in: proposed role of endothelial cells, 266
Neutrophil(s) chemotaxis, abnormal, and random migration induced by aminoglycoside antibiotics, 295
human peripheral, generating superoxide radicals, activated by chemotactic factor; evidence for role of calcium, 583
migration-inhibition activity produced by unique T lymphoblast cell line, 622
myeloperoxidase: simple, reproducible technique to determine activity, 232
Nonvasoactive peritoneal dialysis solution, clinical studies, 910

O

Obese postmenopausal women, sex steroid binding, sex steroids, and gonadotropins in, effect of dietary weight loss on, 1004
Occult blood test, new, not subject to false-negative results from reducing substances, 879
1α OHD_3 and $1,25(OH)_2D_3$, treatment with, changes in isoenzyme patterns in response to, indicating serum alkaline phosphatase in azotemic and hemodialysis osteodystrophy, 899
Osteodystrophy, azotemic and hemodialysis, serum alkaline phosphatase in: isoenzyme patterns, correlation with bone histology, and response to treatment with 1$\alpha$$OHD_3$ and $1,25(OH)_2D_3$, 899
renal: complex disorder, 895
Out-of-hospital ventricular fibrillation, patients previously resuscitated from, platelet survival in, 310
Ovarian-hypothalamic-pituitary axis in uremic women, 1066
Oxygen transport in woman with hemoglobin Hope/β^+ thalassemia, 316

P

Pancreatic insufficiency, patients with, and control subjects, influence of intraluminal pH on folate absorption in, 428
somatostatin excretion in vitro, radioimmunoassay of somatostatin in study of, 1009
Pancreatitis complicating chronic renal failure, serum isoamylase measurements in, 71
d-Penicillamine effect on hepatic collagen proline hydroxylase activity in alcoholic hepatitis, 92
Peptides, low-molecular-weight, of fibrinogenolysis, effect on regulation of fibrinogen synthesis, 758
Perfusion pressure, renal, fixed, sodium excretion at, effect of prostaglandin-synthesis stimulation and blockade on, 78
Peripheral blood, tumor, and tumor venous effluent of patients with medullary thyroid carcinoma, calcitonin in, immunochemical heterogeneity of, 390
Peritoneal dialysis solution(s), equilibration during long dwell exchanges, 246
nonvasoactive, clinical studies with, 910
Peroxidation, lipid, in vivo, relation of fluorescence in lipid-containing red cell membrane extracts to, 687
PGE_1: *see* Prostaglandin E_1
pH, intraluminal, influence on folate absorption in control subjects and patients with pancreatic insufficiency, 428
pleural fluid, possible role for acid generation by pleural fluid in determination of, 1041
Phagocytosis of human polymorphonuclear leukocytes, effects of chemotactic factor, N-formylmethionyl peptide, on, 506
Pharmacokinetics of digitoxin in dogs, effect of hemoperfusion on, 370
Phenobarbital and fasting, effect on hepatic UDP–glucuronic acid formation in rat, 414
Phospholipid studies on lungs in experimental radiation pneumonitis, 627
Pigment stone disease, insights into, 349
Pituitary-hypothalamic-ovarian axis in uremic women, 1066
Plasma aldosterone concentration, effect of extremely high sodium intake on, 724
free cortisol index in, simple method for: measurements in human pregnancy, 146
high-density lipoproteins of rabbits, in vivo metabolism of esterified cholesterol in, 570
inhibitors, inhibition of thrombin by, in vivo and in vitro, correlated, 661
membrane, invaginated, of human platelets: evagination and measurement in normal and "giant" platelets, 162
from normal and nephrectomized man, 24,25- and 25,26-dihydroxyvitamin D in, 277
1,25-$(OH)_2$-vitamin D, measurement in humans, effects of dihydrotachysterol therapy on, 1031
P component (protein AP), human: changes during growth and development and evidence for hepatocellular synthesis, 736
renin activity, creatinine clearance, and electrolytes related to blood pressure of white and black children—The Bogalusa Heart Study, 535
effect of extremely high sodium intake on, 724
Plasmin-antiplasmin complex, specific detection by latex agglutination assays: based on immunochemistry of plasmin-antiplasmin system, 199
and $C\bar{1}$-esterase inhibitor, interaction in human euglobulin, 459
Platelet(s), abnormally large, in hereditary "giant platelet syndrome (MPS)," shape-changing agents producing, 154
adherence to collagen-coated surface and to subendothelium, scanning electron microscopy and quantitative radioisotopic measurement with rotating probe device, 60
agglutination, ristocetin-induced, mechanism of, studies on binding of ristocetin to platelets, 220
aggregating material from SV40-transformed mouse 3T3 fibroblasts, extraction and characterization of, 332

Platelets—cont'd
aggregation or serotonin release reaction not elicited by type IV or type "A-B" collagens, 499
blood, isolated by polysaccharide gradients: reaction to 5-hydroxytryptamine, 257
and fibrinogen production: relative sensitivities to endotoxin, 437
human, aggregation by epinephrine, α-adrenergic receptor responsible for, structure activity relationships with catecholamines, 286
"giant" and normal, invaginated plasma membrane evaginated and measured in, 162
PGE_1-sensitive adenylate cyclase inhibited in, and PGE_1 antiaggregating effect antagonized in, by heparin, 638
membrane glycoproteins in normal dogs and dogs with hemostatic defects, 607
in thrombasthenia, Bernard-Soulier syndrome, and storage pool disease, 652
survival in patients previously resuscitated from out-of-hospital ventricular fibrillation, 310
Pleural fluid pH, possible role for acid generation by pleural fluid in determination of, 1041
Pneumonitis, radiation, experimental. III. Phospholipid studies on lungs, 627
Polymorphonuclear leukocytes, human, adherence, superoxide anion generation, phagocytosis, and microtubule assembly by, effects of chemotactic factor, *N*-formylmethinyl peptide, on, 506
Polysaccharide gradients, blood platelets isolated by: reaction to 5-hydroxytryptamine, 257
Postcholestatic choleresis in rat: effect of complete biliary obstruction on bile flow and bile acid excretion in, 706
Postmenopausal women, obese, sex steroid binding, sex steroids, and gonadotropins in, effect of dietary weight loss on, 1004
Potassium depletion, pure, alterations of hydrogen ion homeostasis in, studied in rats and dogs during recovery phase, 321
Pregnancy, human, free cortisol index in plasma in, simple method for measuring, 146
Probe, rotating, for quantitative radioisotopic measurement and scanning electron microscopy of platelet adherence to collagen-coated surface and to subendothelium, 60
Proline hydroxylase activity, hepatic collagen, in alcoholic hepatitis: effect of *d*-penicillamine, 92
Prostaglandin E_1 antiaggregating affect in human platelets antagonized by heparin, 638
-sensitive adenylate cyclase in human platelets, inhibited by heparin, 638
-synthesis stimulation and blockade, effect on sodium excretion at fixed renal perfusion pressure, 78
Protein A–containing *Staphylococcus aureus* used as immunoadsorbent in radioimmunoassays to separate antibody-bound from free antigen, 614
AP (plasma P component), human: changes during growth and development and evidence for hepatocellular synthesis, 736
human serum, absence of significant urate binding to, 85
Proteoglycanase activity, neutral, metal-dependent, from monolayer-cultured lapine articular chondrocytes, 1018
Pseudomonas aeruginosa bacteremia: relationship of bacterial enzyme production and pyocine types with clinical prognosis in, 600
Pteroylglutamic acid and methylfolate bound by specific serum folate binder, 181
Pyocine types and bacterial enzyme production related to clinical prognosis in *Pseudomonas aeruginosa* bacteremia, 600
Pyrogen release, endogenous, measurement of, functional interaction of concanavailin A and bacterial endotoxin (lipopolysaccharide) in, 128

R

Rabbits, fibrinogen synthesis in, effects of homologous thrombin and fibrinogen degradation products on, 768
plasma high-density lipoproteins of, in vivo metabolism of esterified cholesterol in, 570
Radiation pneumonitis, experimental. III. Phospholipid studies on lungs, 627
Radioimmunoassay for immunodiagnosis of antigenemia in experimental systemic aspergillosis, 111
to measure circulating levels of angiotensin I in hypertensive subjects, 847
to separate antibody-bound from free antigen, protein A–containing *Staphylococcus aureus* as immunoadsorbent in, 614
of somatostatin and application in study of pancreatic somatostatin secretion in vitro, 1009
Radioisotopic measurement, quantitative, and scanning electron microscopic study of platelet adherence to collagen-coated surface and to subendothelium, with rotating probe device, 60
Radiometric assay, simple, for methotrexate and other folate antagonists, 480
Rat(s), biliary β-glucuronidase activity in, 916
and dogs, alterations of hydrogen ion homeostasis in pure potassium depletion studied in, during recovery phase, 321
extrarenal erythropoietin production in, effect of carbon tetrachloride on, 700
Fletcher-Huehns phenomenon in, isotransferrins as explanation of: in vivo evidence for functional heterogeneity of transferrin-bound iron, 189
hepatic UDP–glucuronic acid formation in, effect of fasting and phenobarbital on, 414
nephrosis in, aminonucleoside-induced, glomerular permeability in: proposed role of endothelial cells, 266
postcholestatic choleresis in: effect of complete biliary obstruction on bile flow and bile acid excretion in, 706
renal function, acute effects of streptozotocin diabetes on, 950
reticulocytes, iron-deficient and iron-replete, transferrin binding and iron transport in, 645
unrestrained, continuous drug infusion in, method for: application in evaluating toxicity of 5-fluorouracil/thymidine combinations, 1047
Recording spectrophotometric method for measuring membrane-associated Mg- and NaK-ATPase activity, validation of, 790
Recovery phase of pure potassium depletion in rats and dogs, alterations of hydrogen ion homeostasis studied in, 321
Red blood cell; *see* Erythrocytes
Reducing substances, new occult blood test not subject to false-negative results from, 879
Refractory ascites, cirrhosis with, splanchnic hemodynamic factors in, 301

Renal; *see* Kidney
Reticulocytes, rat, iron-deficient and iron-replete, transferrin binding and iron transport in, 645
Retina and choroid, gyrate atrophy of, and hyperornithinemia, metabolic studies in two families with, 749
Ristocetin binding to platelets for studying mechanism of ristocetin-induced platelet agglutination, 220
-induced platelet agglutination, mechanism of: binding of ristocetin to platelets, 220

S

Sarcoidosis, serum angiotensin-converting enzyme levels in, clinical significance of, 940
Scanning electron microscopy and quantitative radioisotopic measurement of platelet adherence to collagen-coated surface and to subendothelium, with rotating probe device, 60
Serotonin release reaction or platelet aggregation not elicited by type IV or type "A-B" collagens, 499
Serum alkaline phosphatase in azotemic and hemodialysis osteodystrophy: isoenzyme patterns, correlation with bone histology, and response to treatment with $1\alpha OHD_3$ and $1,25(OH)_2D_3$, 899
angiotensin-converting enzyme levels in sarcoidosis, clinical significance of, 940
C1q, endogenous, influence on ^{125}I-C1q binding test, 238
folate binder, specific, binding methylfolate and pteroylglutamic acid, 181
human, chemotactic factor inactivator activity in, biochemical quantitation of, 17
25-hydroxyvitamin D and serum binding protein for vitamin D and its metabolites, effects of liver diseases on, 171
isoamylase measurements in pancreatitis complicating chronic renal failure, 71
proteins, human, absence of significant urate binding to, 85
thyroid-stimulating hormone and antimicrosomal antibodies as screen for autoimmune thyroid disease, 1035
Sex steroid binding, sex steroids, and gonadotropins in obese postmenopausal women, effect of dietary weight loss on, 1004
Shape-changing agents producing abnormally large platelets in hereditary "giant platelets syndrome (MPS)," 154
SLE; *see* Systemic lupus erythematosus
Small bowel, stomach, and colon of conscious dog, blood flow to, effect of feeding on, 594
intestine, dog, spontaneous secretion from, in vivo, 381
Sodium excretion, effect of prostaglandin-synthesis stimulation and blockade on, at fixed renal perfusion pressure, 78
intake, extremely high, effect on plasma renin activity, plasma aldosterone concentration, and urinary excretion of aldosterone metabolites, 724
-potassium– and Mg-ATPase activity, membrane-associated, recording spectrophotometric method for measuring, validation of, 790
Somatostatin, radioimmunoassay of, and application in study of pancreatic somatostatin secretion in vitro, 1009
Spectrophotometric method, recording, for measuring membrane-associated Mg- and NaK-ATPase activity, validation of, 790
Splanchnic hemodynamic factors in cirrhosis with refractory ascites, 301
Spontaneous secretion from dog small intestine in vivo, 381
Staphylococcus aureus, protein A–containing, used as immunoadsorbent in radioimmunoassays to separate antibody-bound from free antigen, 614
Stomach, small bowel, and colon of conscious dog, blood flow to, effect of feeding on, 584
Storage pool disease, platelet membrane glycoproteins, in, 652
Streptozotocin diabetes, acute effects on rat renal function, 950
Stromal cells, bone marrow, and medullary erythropoiesis, chronic inflammation suppressing, 995
Structure activity relationships between catecholamines and α-adrenergic receptor responsible for aggregation of human platelets by epinephrine, 286
Subendothelium and collagen-coated surface, platelet adherence to, measured with rotating probe device, by quantitative radioisotopic measurement and scanning electron microscopy, 60
Sulhydryl-mediated depression of ciliary activity: adverse effect of acetylcysteine, 674
Superoxide anion generation by human polymorphonuclear leukocytes, effects of chemotactic factor, *N*-formylmethionyl peptide, on, 506
radicals generated by human peripheral neutrophils activated by chemotactic factor: evidence for role of calcium, 583
SV40-transformed mouse 3T3 fibroblasts, extraction and characterization of platelet-aggregating material from, 332
Systemic aspergillosis, immunodiagnosis of. I. Antigenemia detected by radioimmunoassay in experimental infection, 111
lupus erythematosus, active, complement-fixing anti–double-stranded DNA with *Crithidia* method better indicator of than anti-DNA with Farr method, 32

T

T lymphoblast cell line, unique, neutrophil migration-inhibition activity produced by, 622
β^0-Thalassemia in association with Hb P-Nilotic: *cis*-mutation of hemoglobin β^A chain regulatory determinant, 973
β^+-Thalassemia/hemoglobin Hope, oxygen transport in woman with, 316
The Bogalusa Heart Study—creatinine clearance, electrolytes, and plasma renin activity related to blood pressure of white and black children, 535
Thrombasthenia, platelet membrane glycoproteins in, 652
Thrombin, homologous, and fibrinogen synthesis in rabbits, 768
inhibition by plasma inhibitors, correlation of in vivo and in vitro, 661
Thrombocytopenic purpura, idiopathic, human spleen heme oxygenase and microsomal transport system component activity in, 838
Thrombosis, deep venous, postoperative patients with high incidence of, dilute whole blood clot lysis assay as screening method for, 120
Thymidine/5-fluorouracil, toxicity of, evaluation of, method for continuous drug infusion in unrestrained rats used in, 1047

Thyroid carcinoma, medullary, calcitonin in tumor, tumor venous effluent, and peripheral blood of patients with, immunochemical heterogeneity of, 390
disease, autoimmune, screen for, serum thyroid-stimulating hormone and antimicrosomal antibodies as, 1035
-stimulating hormone and antimicrosomal antibodies, serum, as screen for autoimmune thyroid disease, 1035
Thyrotropin secretion, catecholaminergic control of, 887
Tolerance test, zinc, 485
Toxicity of 5-fluorouracil/thymidine, evaluation of, method for continuous drug infusion in unrestrained rats used in, 1047
Transfer activity, dialyzable leukocyte extracts with, effects on leukocyte migration in vitro. I. Antigen-dependent inhibition and antigen-independent inhibition and enhancement of migration, 800; II. DLE components producing antigen-dependent and antigen-independent effects, 819
Transferrin binding and iron transport in iron-deficient and iron-replate rat reticulocytes, 645
-bound iron, functional heterogeneity of, in vivo evidence for. V. Isotransferrins as explanation for Fletcher-Huehns phenomenon in rat, 189
Tumor cell, human, monocyte- and macrophage-induced, cytotoxicity of, 361
tumor venous effluent, and peripheral blood of patients with medullary thyroid carcinoma, calcitonin in, immunochemical heterogeneity of, 390

U

UDP, *see* Uridine diphosphate
Ultrastructure and metabolism of human alveolar macrophages, influence of cationic local anesthetics on, 857
Urate binding, significant, to human serum proteins, absence of, 85
Uremic nephric and anephric patients, erythropoietin levels in, 449
women, hypothalamus-pituitary-ovarian axis in, 1066
Uridine diphosphate-glucuronic acid formation in rat, hepatic, effect of fasting and phenobarbital on, 414
Urinary acidification, distal, interaction of amiloride and lithium on, 983
excretion of aldosterone metabolites, effect of extremely high sodium intake on, 724
Urine of patients with asparylglycosaminuria, quantitation of 4-*N*-2-acetamido-2-deoxy-β-D-glucopyranosyl-L-asparagine in, by gas-liquid chromatography, 718
Uroporphyrinogen, naturally occurring isomers of, enzymatic decarboxylation by human erythrocytes, 54

V

Venous thrombosis, deep, postoperative patients with high incidence of, dilute whole blood clot lysis assay as screening method for, 120
Ventricular fibrillation, out-of-hospital, patients previously resuscitated from, platelet survival in, 310
Visualizing marrow granulocyte reserve, 101
Vitamin D and its metabolites, serum binding protein for, and 25-hydroxyvitamin D, serum, effects of liver diseases on, 171
1,25-$(OH)_2$-, plasma, measurement in humans, effects of dihydrotachysterol therapy on, 1031
VLDL ApoE gel isoelectric focusing technique for type III hyperlipoproteinemia and application in family studies, 549
von Willebrand's disease, variants of, qualitative abnormalities of factor VIII/von Willebrand factor in, fluid-phase immunoradiometric assay for detecting, 926

W

Whole blood, dilute, clot lysis assay; screening method for postoperative patients with high incidence of deep venous thrombosis, 120
Women, obese postmenopausal, sex steroid binding, sex steroids, and gonadotropins in, effect of dietary weight loss on, 1004
uremic, hypothalamic-pituitary-ovarian axis in, 1066

Z

Zinc protoporphyrin hematofluorometers, bilirubin sensitivity of (Letter to Editor), 345
tolerance test, 485

The Journal of
LABORATORY and CLINICAL MEDICINE

Editor
FRANKLYN G. KNOX

Associate Editors
E. J. WALTER BOWIE
CARLO M. VENEZIALE
GENE G. HUNDER

Editorial Assistant
LEANN STARKEN

Board of Editors

SIAMAK A. ADIBI
Pittsburgh, Pa.

CLARENCE P. ALFREY, JR.
Houston, Texas

WARD E. BULLOCK, JR.
Lexington, Ky.

JAY N. COHN
Minneapolis, Minn.

ROBERT P. HEANEY
Omaha, Nebr.

ANDREW H. KANG
Memphis, Tenn.

CHARLES E. MENGEL
Columbia, Mo.

JOHN A. PIERCE
St. Louis, Mo.

WILLIAM A. ROBINSON
Denver, Colo.

HAROLD H. SANDSTEAD
Grand Forks, N. D.

HOLBROOKE S. SELTZER
Dallas, Texas

ARTHUR A. SPECTOR
Iowa City, Iowa

JAY H. STEIN
San Antonio, Texas

JOHN D. STOBO
San Francisco, Calif.

ROBERT C. TARAZI
Cleveland, Ohio

ROBERT WHANG
Oklahoma City, Okla.

JAMES G. WHITE
Minneapolis, Minn.

VOLUME 94
July-December, 1979

THE C. V. MOSBY COMPANY
St. Louis
1979

VOLUME 94

Copyright © 1979 by
THE C. V. MOSBY COMPANY

All rights reserved
Printed in the United States of America

956

Index to volume 94

Author index*

A

ABBOUD, HANNA E., SHAH, SUDHIR V., and DOUSA, THOMAS P. Effects of dexamethasone on cyclic nucleotide accumulation in glomeruli, 708

AIKAWA, TAKASHI, MITAMURA, TADAYUKI, TANIMOTO, KIYOAKI, and HORIUCHI, YOSHIHIKO. Detection of circulating immune complexes by using human red blood cells, 902

ALI, FAROUK M. (*see* Nordlinger et al.), 833

AMRHEIN, JAMES A. (*see* DeWailly et al.), 106

ANDERSON, ALFRED J. (*see* Barboriak, Anderson, and Hoffmann), 348

ANDERSON, ROBERT J., and WEINSHILBOUM, RICHARD M. Phenolsulphotransferase: enzyme activity and endogenous inhibitors in human erythrocyte, 158

ANDRIOLE, VINCENT T. *Pseudomonas* bacteremia: can antibiotic therapy improve survival? 196

ANGELIN, BO (*see* Jarstrand, Angelin, and Einarsson), 897

ANGLES-CANO, EDUARDO, SULTAN, YVETTE, and CLAUVEL, JEAN-PIERRE. Predisposing factors to thrombosis in systemic lupus erythematosus: possible relation to endothelial cell damage, 312

ANTHONY, BRUCE K. (*see* Branda and Anthony), 354

ARBEIT, LEONARD A. (*see* Couser et al.), 917

AVASTHI, P. S. Effects of aminonucleoside on rat blood-peritoneal barrier permeability, 295

B

BALTCH, ALDONA L., HAMMER, MARK, SMITH, RAYMOND P., and SUTPHEN, NANCY. *Pseudomonas aeruginosa* bacteremia: susceptibility of 100 blood culture isolates to seven antimicrobial agents and its clinical significance, 201

BARBORIAK, JOSEPH J., ANDERSON, ALFRED J., and HOFFMANN, RAYMOND G. Interrelationship between coronary artery occlusion, high-density lipoprotein cholesterol, and alcohol intake, 348

BARBOUR, GALEN L., JOE, CYNTHIA, and PATTERSON, RODNEY M. Measurement of peritoneal clearances in self-dialysis patients, 526

BARRETT, GENE N. (*see* Keenan et al.), 799

BARVINCHAK, MARY K. (*see* Stuart et al.), 12

BEGLEY, JAMES A. (*see* Hall, Horch, and Begley), 772

BELL, J. F., and MOORE, G. J. Allergic encephalitis, rabies antibodies, and blood/brain barrier, 5

BENSON, MERRILL D. (*see* Skinner et al.), 633

BERMAN, L. B. (*see* Green et al.), 549

BEUTLER, E. (*see* Kondo and Beutler), 617

BIKLE, DANIEL D., MORRISSEY, ROBERT L., ZOLOCK, DAVID T., and HERMAN, ROBERT H. Stimulation of chick gut alkaline phosphatase activity by actinomycin D and 1,25-dihydroxyvitamin D_3: evidence for independent mechanisms, 88

BOLT, MERRY G. (*see* Stellaard et al.), 853

BORBERG, HELMUT (*see* Mishler et al.), 841

BOYER, JAMES L. (*see* Stellaard et al.), 853

— (*see* Tavoloni et al.), 726

BOYER, P. A. (*see* Burns et al.), 387

BRADY, P. G. (*see* Weber et al.), 27

BRANDA, RICHARD F., and ANTHONY, BRUCE K. Evidence for transfer of folate compounds by specialized erythrocyte membrane system, 354

BRIGGS, WILLIAM A. (*see* Mahajan et al.), 693

BRINDLEY, DARLENE C. (*see* McGill and Brindley), 370

BRODY, JEROME I. In vitro effects of single alkylating agents on normal peripheral blood lymphocytes, 114

BROEKMAN, M. JOHAN (*see* Zucker, Broekman, and Kaplan), 675

BROOKS, S. C. (*see* Shafie and Brooks), 784

BROWN, P. L. (*see* Grim et al.), 764

BROWN, R. G. (*see* Murray et al.), 18

BUCKLEY, G. (*see* Murray et al.), 18

BURNS, T. W., BOYER, P. A., TERRY, B. E., LANGLEY, P. E., and ROBISON, G. A. Effect of fasting on adrenergic receptor activity of human adipocytes, 387

C

CAEN, J. P. (*see* Chevalier et al.), 232

— (*see* Legrand et al.), 438

CARLSON, G. L. (*see* Chadwick et al.), 661

— (*see* Lauterburg et al.), 585

CARMODY, KATHLEEN M. (*see* Fish, Carmody, and Michael), 447

CEBULA, THOMAS A., HANSON, DANIEL F., MOORE, DOUGLAS M., and MURPHY, PATRICK A. Synthesis of four endogenous pyrogens by rabbit macrophages, 95

CERRETA, J. M. (*see* Green et al.), 549

CHADWICK V. S., GAGINELLA, T. S., CARLSON G. L., DEBONGNIE, J-C., PHILLIPS, S. F., and HOFMANN, A. F. Effect of molecular structure on bile acid-induced alterations in absorptive function, permeability, and morphology in perfused rabbit colon, 661

CHAO, JULIE (*see* Shimamoto et al.), 172

CHEVALIER, J., NURDEN, A. T., THIERY, J. M., SAVARIAU, E., and CAEN, J. P. Freeze-fracture studies on plasma membranes of normal human, thrombasthenic, and Bernard-Soulier platelets, 232

CHIU, DANNY, and LUBIN, BERTRAM. Abnormal vitamin E and glutathione peroxidase levels in sickle cell anemia. Evidence for increased susceptibility to lipid peroxidation in vivo, 542

CIAVARELLA, N. (*see* Ruggeri et al.), 60

CLAUVEL, JEAN-PIERRE (*see* Angles-Cano, Sultan, and Clauvel), 312

CLAYTON, GEORGE W. (*see* Keenan et al.), 799

COHEN, ALAN S. (*see* Skinner et al.), 633

COLE, FREDERICK M. (*see* Sweeney et al.), 718

COMP, P. C. (*see* Lockhart, Comp, and Taylor), 285

COULOMBE, LOUISE (*see* Leblond and Coulombe), 133

COULOMBEL, L., TCHERNIA, G., and MOHANDAS, N. Human reticulocyte maturation and its relevance to erythropoietic stress, 467

*July, pp. 1-194; August, pp. 195-380; September, pp. 381-518; October, pp. 519-654; November, pp. 655-810; December, pp. 811-970.

COUSER, WILLIAM G., SALANT, DAVID J., STILMANT, MAGDA M., ARBEIT, LEONARD A., DARBY, CHRISTINE and SLIOGERIS, VITA G. Effects of aminonucleoside of puromycin and nephrotoxic serum on subepithelial immune-deposit formation in passive Heymann nephritis, 917
CROSSWELL, ALFRED R. (*see* Shimamoto et al.), 172

D

DAMMACCO, F. (*see* Ruggeri et al.), 60
DANIELE, RONALD P. (*see* Dauber, Rossman, and Daniele), 862
DARBY, CHRISTINE (*see* Couser et al.), 917
DAUBER, JAMES H., ROSSMAN, MILTON D., and DANIELE, RONALD P. Bronchoalveolar cell populations in acute sarcoidosis: observation in smoking and nonsmoking patients, 862
DEBONGNIE, J-C. (*see* Chadwick et al.), 661
DE GAST, G. C. (*see* Weits et al.), 458
DEGOWIN, RICHARD L., and GIBSON, D. PHILLIP. Erythropoietin and anemia of mice bearing extramedullary tumor, 303
DENTINO, MARIELLEN (*see* Henry et al.), 429
DEWAILLY, DIDIER, MAES, MARC, AMRHEIN, JAMES A., ROTHWELL, STEPHEN W., and MIGEON, CLAUDE J. Antibody method for measurement of dihydrotestosterone receptors in cultured human skin fibroblasts, 106
DICKSON, E. ROLLAND (*see* Lauterburg et al.), 585
DIERKS, RICHARD E. Rabies pathogenesis and diagnosis, 1
DIRKS, JOHN H. (*see* Wong et al.), 683
DOUSA, THOMAS P. (*see* Abboud, Shah, and Dousa), 708
DUA, SOHAN (*see* Massry et al.), 152

E

EDWARDS, C. C. (*see* Jackson et al.), 500
EINARSSON, KURT (*see* Jarstrand, Angelin, and Einarsson), 897
ELLIS, BYRON (*see* Kleinman et al.), 600
ELRAD, HAIM (*see* Stuart et al.), 12
EPSTEIN, J. (*see* Preisler and Epstein), 414
ERADIO, BIBIANA G. (*see* Pierce and Eradio), 826
ESSELINK, M. T. (*see* Weits et al.), 458

F

FARAJ, BAHJAT A. (*see* Nordlinger et al.), 833
FAUVEL, F. (*see* Legrand et al.), 438
FISH, ALFRED J., CARMODY, KATHLEEN M., and MICHAEL, ALFRED F. Spatial orientation and distribution of antigens within human glomerular basement membrane, 447
FJELLSTRÖM, K.-E. (*see* Hällgren et al.), 277
FORSTROM, LEROY (*see* Weiblen, Forstrom, and McCullough), 246
FOX, IRVING H., KAMINSKA, JANICE, WORTMANN, ROBERT L., and HALSEY, DAVID L. Deoxyadenosine inhibits DNA synthesis in cultured human fibroblasts, 52
FREEMAN, KARL B. (*see* Sweeney et al.), 718
FRIEDMAN, JOEL M. (*see* Luthra, Friedman, and Sears), 879
FULENWIDER, J. TIMOTHY (*see* Nordlinger et al.), 833

G

GAGINELLA, T. S. (*see* Chadwick et al.), 661
GANNON, M. A. (*see* Grim et al.), 764
GIBBS, PHILIP S. (*see* Henry et al.), 429
GIBSON, D. PHILLIP (*see* DeGowin and Gibson), 303
GITEL, SANFORD N., and WESSLER, STANFORD. Antithrombotic effects of warfarin and heparin following infusions of tissue thromboplastin in rabbits: clinical implications, 481
GOEBEL, FRANK D. (*see* Goebel et al.), 123
GOEBEL, KLAUSE M., GOEBEL, FRANK D., SCHUBOTZ, ROLF, and SCHNEIDER, JUERGEN. Hemolytic implications of alcholism in liver disease, 123
GOLDSTEIN, DAVID A. (*see* Massry et al.), 152
GOLDSTEIN, M. B. (*see* Richardson et al.), 510
GOLDSTEIN, ROBERT A. (*see* Starcher and Goldstein), 848
GORDON, ALBERT S. (*see* Zucali, Mirand, and Gordon), 742
GRAEBER, JANET E. (*see* Stuart et al.), 12
GREEN, M. R., LIN, J. S., BERMAN, L. B., OSMAN, M. M., CERRETA, J. M., MANDL, I., and TURINO, G. M. Elastolytic activity of alveolar macrophages in normal dogs and human subjects, 549
GRIM, C. E., LUFT, F. C., MILLER, J. Z., BROWN, P. L., GANNON, M. A., and WEINBERGER, M. H. Effects of sodium loading and depletion in normotensive first-degree relatives of essential hypertensives, 764
GROSS, RUDOLF (*see* Mishler et al.), 841

H

HADDOW, JAMES E., MACRI, JAMES N., and MUNSON, MARK. Amnion regulates movement of fetally derived alpha-fetoprotein into maternal blood, 344
HAKANSON, DAVID O. (*see* Stuart et al.), 12
HÅKANSSON, L. (*see* Hällgren et al.), 277
HALL, CHARLES A. Transport of vitamin B_{12} from food to use within cells, 811
—, HORCH, CAROL, and BEGLEY, JAMES A. Forms and transport of plasma cobalamins in normal man and in myeloproliferative states, 772
HÄLLGREN, R., FJELLSTRÖM, K.-E., HÅKANSSON, L., and VENGE, P. Kinetic studies of phagocytosis. II. Serum-independent uptake of IgG-coated particles by polymorphonuclear leukocytes from uremic patients on regular dialysis treatment, 277
HALPERIN, M. L. (*see* Richardson et al.), 510
HALSEY, DAVID L. (*see* Fox et al.), 52
HAMMER, MARK (*see* Baltch et al.), 201
HANSON, DANIEL F. (*see* Cebula et al.), 95
HANSON, RUSSELL F. (*see* Smith et al.), 624
HASSELBACHER, PETER. Binding of IgG and complement protein by monosodium urate monohydrate and other crystals, 532
HENDERSON, J. MICHAEL (*see* Nordlinger et al.), 833
HENRY, DAVID P., DENTINO, MARIELLEN, GIBBS, PHILIP S., and WEINBERGER, MYRON H. Vascular compartmentalization of plasma norepinephrine in normal man. Relationships between venous and arterial norepinephrine concentration and urinary excretion of norepinephrine, 429
HEPNER, GERSHON W. (*see* Piken and Hepner), 947
HERMAN, ROBERT H. (*see* Bikle et al.), 88
HIRSZEL, PRZEMYSLAW, LASRICH, MARK, and MAHER, JOHN F. Augmentation of peritoneal mass transport by dopamine. Comparison with norepinephrine and evaluation of pharmacologic mechanisms, 747
HOFFMANN, RAYMOND G. (*see* Barboriak, Anderson, and Hoffmann), 348
HOFFSTEIN, SYLVIA (*see* Spilberg, Mandell, and Hoffstein), 361
HOFMANN, A. F. (*see* Chadwick et al.), 661
HOLCOMBE, JOHN H. (*see* Keenan et al.), 799
HORCH, CAROL (*see* Hall, Horch, and Begley), 772
HORIUCHI, YOSHIHIKO (*see* Aikawa et al.), 902
HRUBAN, ZDENEK (*see* Tavoloni et al.), 726
HUFFMAN, S. L. (*see* Weber et al.), 27
HULTER, HENRY N., LICHT, J. HAMILTON, ILNICKI, LEON P., and SINGH, SATINDER. Clinical efficacy and pharmacokinetics of clonidine in hemodialysis and renal insufficiency, 223

HURWITZ, CHARLES (*see* Parhami and Hurwitz), 593
HYMES, KENNETH, SHULMAN, SABRA, and KARPATKIN, SIMON. Solid-phase radioimmunoassay for bound anti-platelet antibody. Studies on 45 patients with autoimmune platelet disorders, 639

I

IAMS, SAMUEL G., and WEXLER, BERNARD C. Inhibition of development of spontaneous hypertension in SH rats by gonadectomy or estradiol, 608
ILNICKI, LEON P. (*see* Hulter et al.), 223
IMLER, MARC, and SCHLIENGER, JEAN-LOUIS. Effect of chronic uremia on portal and systemic ammonemia in normal and portal-strictured rats, 872
ITSKOVITZ, HAROLD D. (*see* Kleinman et al.), 600
IVEY, GEORGE L. (*see* Nordlinger et al.), 833

J

JACKSON, C. W., SMITH, P. J., EDWARDS, C. C., and WHIDDEN, M. A. Relationship between packed cell volume, platelets, and platelet survival in red blood cell–hypertransfused mice, 500
JACOB, ROBERT A. (*see* Solomons et al.), 335
JANOFF, AARON (*see* White, White, and Janoff), 489
JARSTRAND, CONNIE, ANGELIN, BO, and EINARSSON, KURT. Decreased nitroblue tetrazolium reduction of granulocytes in type IV hyperlipoproteinemia, 897
JOE, CYNTHIA (*see* Barbour, Joe, and Patterson), 526
JOHNSON, GERHARD J., SCHWARTZ, BURTON S., and LEIS, LINDA A. In vivo platelet retention in human bleeding-time wounds. Normal subjects and patients with platelet dysfunction, 563
— (*see* Schwartz, Leis, and Johnson), 574
JOHNSON, JOHN D. (*see* Stevenson, Ostrander, and Johnson), 659

K

KAMINSKA, JANICE (*see* Fox et al.), 52
KAPLAN, KAREN L. (*see* Zucker, Broekman, and Kaplan), 675
KARPATKIN, SIMON (*see* Hymes, Shulman, and Karpatkin), 639
KARTALIS, G. (*see* Legrand et al.), 438
KATZ, M., and O'BRIEN, R. Vitamin B_{12} absorption studied by vascular perfusion of rat intestine, 817
KEENAN, BRUCE S., MCNEEL, RONALD, BARRETT, GENE N., HOLCOMBE, JOHN H., KIRKLAND, REBECCA T., and CLAYTON, GEORGE W. Plasma androgens in congenital adrenal hypderplasia. Androstenedione concentration as index of adrenal androgen suppression, 799
KIRKLAND, REBECCA T. (*see* Keenan et al.), 799
KLEIN, PETER D. (*see* Niu, Schoeller, and Klein), 755
— (*see* Stellaard et al.), 853
KLEINMAN, JACK G., ELLIS, BYRON, TERESI, LOUIS M., and ITSKOVITZ, HAROLD D. Production of maximally acid urine by isolated dog kidney, 600
KONDO, T., and BEUTLER, E. Depletion of red cell ATP by incubation with 2-deoxyglucose, 617
KONDO, TOSHIFUMI, KUCHIBA, KAZUO, and SHIMIZU, YOSHITAKA. Metabolic fate of exogenous delta-aminolevulinic acid in Dubin-Johnson syndrome, 421
KRIVIT, WILLIAM (*see* Smith et al.), 624
KUCHIBA, KAZUO (*see* Kondo, Kuchiba, and Shimizu), 421
KUEPPERS, F., and OFFORD, KENNETH P. Alpha-1 antitrypsin elevation in healthy neonates, 475
KUTNER, MICHAEL (*see* Nordlinger et al.), 833

L

LAMEIRE, N., MATTHYS, E., MUSSCHE, M., RINGOIR, S., and LEUSEN, I. Differences between dog and rat in natriuretic response to extracellular volume expansion with immediate aortic constriction. Effect of aortic clamping during extracellular volume expansion, 215
LANGLEY, P. E. (*see* Burns et al.), 387
LASRICH, MARK (*see* Hirszel, Lasrich, and Maher), 747
LAUTERBURG, BERNHARD H., DICKSON, E. ROLLAND, PINEDA, ALVARO A., CARLSON, GERALD L., and TASWELL, HOWARD F. Removal of bile acids and bilirubin by plasmaperfusion of U.S.P. charcoal–coated glass beads, 585
LAVERGNE, J. M. (*see* Ruggeri et al.), 60
LEBLOND, PIERRE F., and COULOMBE, LOUISE. Measurement of erythrocyte deformability using micropore membranes. Sensitive technique with clinical applications, 133
LEGRAND, Y. J., FAUVEL, F., KARTALIS, G., WAUTIER, J. L., and CAEN, P. J. Specific and quantitative method for estimation of platelet adhesion to fibrillar collagen, 438
LEIS, LINDA A. (*see* Johnson, Schwartz, and Leis), 563
— (*see* Schwartz, Leis, and Johnson), 574
LEUSEN, I. (*see* Lameire et al.), 215
LEVY, MORTIMER, WEXLER, MARVIN J., and MCCAFFREY, CHRISTINE. Sodium retention in dogs with experimental cirrhosis following removal of ascites by continuous peritoneovenous shunting, 933
LICHT, J. HAMILTON (*see* Hulter et al.), 223
LIFSHITZ, FIMA (*see* Wapnir et al.), 144
LIJANA, ROBERT C., and WILLIAMS, MICHAEL C. Tetramethylbenzidine—substitute for benzidine in hemoglobin analysis, 266
LIN, J. S. (*see* Green et al.), 549
LOCKHART, M. S., COMP, P. C., and TAYLOR, F. B., JR. Role of platelets in lysis of dilute plasma clots: requirement for metabolically active platelets, 285
LUBIN, BERTRAM (*see* Chiu and Lubin), 542
LUFT, F. C. (*see* Grim et al.), 764
LUTHRA, MADAN G., FRIEDMAN, JOEL M., and SEARS, DAVID A. Studies of density fractions of normal human erythrocytes labeled with iron-59 in vivo, 879

M

MCCAFFREY, CHRISTINE (*see* Levy, Wexler, and McCaffrey), 933
MCCULLOUGH, JEFFREY (*see* Weiblen, Forstrom, and McCullough), 246
MCDONALD, FRANKLIN C. (*see* Mahajan et al.), 693
MCGILL, MANLEY, and BRINDLEY, DARLENE C. Effects of storage on platelet reactivity to arterial subendothelium during blood flow, 370
MCNEEL, RONALD (*see* Keenan et al.), 799
MACRI, JAMES N. (*see* Haddow, Macri, and Munson), 344
MAES, MARC (*see* DeWailly et al.), 106
MAHAJAN, SUDESH K., PRASAD, ANANDA S., RABBANI, PARVIZ, BRIGGS, WILLIAM A., and MCDONALD, FRANKLIN D. Zinc metabolism in uremia, 693
MAHER, JOHN F. (*see* Hirszel, Lasrich, and Maher), 747
MALBON, CRAIG C. Avenues of adrenergic research, 381
MANDELL, BRIAN (*see* Spilberg, Mandell, and Hoffstein), 361
MANDEMA, E. (*see* Weits et al.), 458
MANDL, I. (*see* Green et al.), 549
MANNUCCI, P. M. (*see* Ruggeri et al.), 60
MARGOLIUS, HARRY S. (*see* Shimamoto et al.), 172

MASSRY, SHAUL G., TUMA, SAMIR, DUA, SOHAN, and GOLDSTEIN, DAVID A. Reversal of skeletal resistance to parathyroid hormone in uremia by vitamin D metabolites: evidence for requirement of $1,25(OH)_2D_3$ and $24,25(OH)_2D_3$, 152
MATTHYS, E. (*see* Lameire et al.), 215
MEHTA, JAGDISH (*see* Simchowitz, Mehta, and Spilberg), 403
MEYER, D. (*see* Ruggeri et al.), 60
MICHAEL, ALFRED F. (*see* Fish, Carmody, and Michael), 447
MIGEON, CLAUDE J. (*see* DeWailly et al.), 106
MILLER, J. Z. (*see* Grim et al.), 764
MIRAND, EDWIN A. (*see* Zucali, Mirand, and Gordon), 742
MISHLER, JOHN MILTON, RICKETTS, COLIN R., PARKHOUSE, EDWARD J., BORBERG, HELMUT, and GROSS, RUDOLF. Catabolism of low-molecular-weight hydroxyethylated amylopectin in man. I. Changes in circulating molecular composition, 841
MITAMURA, TADAYUKI (*see* Aikawa et al.), 902
MOAK, SUSAN A. (*see* Wapnir et al.), 144
MOHANDAS, N. (*see* Coulombel, Tchernia, and Mohandas), 467
MOLINARI, A. (*see* Ruggeri et al.), 60
MOORE, DOUGLAS M. (*see* Cebula et al.), 95
MOORE, G. J. (*see* Bell and Moore), 5
MORRISSEY, ROBERT L. (*see* Bikle et al.), 88
MOVAT, HENRY Z. (*see* Saito et al.), 256
MUNSON, MARK (*see* Haddow, Macri, and Munson), 344
MURPHY, PATRICK A. (*see* Cebula et al.), 95
MURRAY, T. M., THOMPSON, J., BUCKLEY, G., and BROWN, R. G. Postfeeding radioimmunassay artefact in heparinized pig plasma: studies with intestinal calcium-binding protein, 18
MUSSCHE, M. (*see* Lameire et al.), 215

N

NIES, ALAN S., ROBERTSON, DAVID, and STONE, WILLIAM J. Hemodialysis hypotension is not result of uremic peripheral autonomic neuropathy, 395
NIU, HSIEN-CHI, SCHOELLER, DALE A., and KLEIN, PETER D. Improved gas chromatographic quantitation of breath hydrogen by normalization to respiratory carbon dioxide, 755
NOLPH, KARL D. Peritoneal clearances, 519
NOMOTO, YASUO, and SAKAI, HIDETO. Cold-reacting antinuclear factor in sera from patients with IgA nephropathy, 76
NORDLINGER, BERNARD M., FULENWIDER, J. TIMOTHY, IVEY, GEORGE L., FARAJ, BAHJAT A., ALI, FAROUK M., KUTNER, MICHAEL, HENDERSON J. MICHAEL, and RUDMAN, DANIEL. Tyrosine metabolism in cirrhosis, 833
NURDEN, A. T. (*see* Chevalier et al.), 232

O

O'BRIEN, R. (*see* Katz and O'Brien), 817
OFFORD, KENNETH P. (*see* Kueppers and Offord), 475
OSMAN, M. M. (*see* Green et al.), 549
OSTRANDER, CLINTON E. (*see* Stevenson, Ostrander, and Johnson), 659

P

PALMER, ROBERT H. Bile acid heterogeneity and the gastrointestinal epithelium: from diarrhea to colon cancer, 655
PARHAMI, NOUROLLAH, and HURWITZ, CHARLES. Determination of C1q in human sera, 593
PARKHOUSE, EDWARD J. (*see* Mishler et al.), 841
PATEL, HASMUKH V. (*see* Sweeney et al.), 718
PATTERSON, RODNEY M. (*see* Barbour, Joe, and Patterson), 526
PELLETIER, LAWRENCE L., JR. Virulent gentamicin-induced small colony variants of *Staphylococcus aureus*, 324
PHILLIPS, S. F. (*see* Chadwick et al.), 661
PIERCE, JOHN A., and ERADIO, BIBIANA G. Improved identification of antitrypsin phenotypes through isoelectric focusing with dithioerythritol, 826
PIKEN, EDWARD, and HEPNER, GERSHON W. Decreased hepatic microsomal reserve in patients with cirrhosis: studies using aminopyrine as model drug, 947
PINEDA, ALVARO A. (*see* Lauterburg et al.), 585
PINEDA, OSCAR (*see* Solomons et al.), 335
POWELL, D. E. (*see* Weber et al.), 27
PRASAD, ANANDA S. (*see* Mahajan et al.), 693
PREISLER, H. D., and EPSTEIN, J. Method for obtaining human bone marrow specimens enriched for myeloblasts and promyelocytes, 414

Q

QUAMME, GARY A. (*see* Wong et al.), 683

R

RABBANI, PARVIZ (*see* Mahajan et al.), 693
RAO, P. (*see* Weber et al.), 27
REED, JAMES S. (*see* Tavoloni et al.), 726
RICHARDSON, R. M. A., GOLDSTEIN, M. B., STINEBAUGH, B. J., and HALPERIN, M. L. Influence of diet and metabolism on urinary acid excretion in rat and rabbit, 510
RICKETTS, COLIN R. (*see* Mishler et al.), 841
RINGOIR, S. (*see* Lameire et al.), 215
ROBERTSON, DAVID (*see* Nies, Robertson, and Stone), 395
ROBISON, G. A. (*see* Burns et al.), 387
ROODMAN, G. DAVID, and ZANJANI, ESMAIL D. Endogenous erythroid colony-forming cells in fetal and newborn sheep, 699
ROSSMAN, MILTON D. (*see* Dauber, Rossman, and Daniele), 862
ROTHWELL, STEPHEN W. (*see* DeWailly et al.), 106
RUDMAN, DANIEL (*see* Nordlinger et al.), 833
RUGGERI, Z. M., CIAVARELLA, N., MANNUCCI, P. M., MOLINARI, A., DAMMACCO, F., LAVERGNE, J. M., and MEYER, D. Familial incidence of precipitating antibodies in von Willebrand's disease: study of four cases, 60

S

SAITO, HIDEHIKO, SCOTT, J. GERALD, MOVAT, HENRY Z., and SCIALLA, SALVATORE J. Molecular heterogeneity of Hageman trait (factor XII deficiency): evidence that two of 49 subjects are cross-reacting material positive (CRM^+), 256
SAKAI, HIDETO (*see* Nomoto and Sakai), 76
SALANT, DAVID J. (*see* Couser et al.), 917
SAVARIAU, E. (*see* Chevalier et al.), 232
SCHLIENGER, JEAN-LOUIS (*see* Imler and Schlienger), 872
SCHNEIDER, JUERGEN (*see* Goebel et al.), 123
SCHOELLER, DALE A. (*see* Niu, Schoeller, and Klein), 755
SCHUBOTZ, ROLF (*see* Goebel et al.), 123
SCHWARTZ, BURTON S., LEIS, LINDA A., and JOHNSON, GERHARD J. In vivo platelet retention in human bleeding-time wounds. Effect of aspirin ingestion, 574
— (*see* Johnson, Schwartz, and Leis), 563
SCIALLA, SALVATORE J. (*see* Saito et al.), 256
SCOTT, J. GERALD (*see* Saito et al.), 256

SEARS, DAVID A. (*see* Luthra, Friedman, and Sears), 879
SHADDUCK, RICHARD K. (*see* Waheed and Shadduck), 180
SHAFIE, SAMIR, and BROOKS, S. C. Characteristics of dextran-coated charcoal assay for estradiol receptor in breast cancer preparations, 784
SHAH, SUDHIR V. (*see* Abboud, Shah, and Dousa), 708
SHIMAMOTO, KAZUAKI, MARGOLIUS, HARRY S., CHAO, JULIE, and CROSSWELL, ALFRED R. Direct radioimmunoassay of rat urinary kallikrein and comparison with other measures of urinary kallikrein activity, 172
SHIMIZU, YOSHITAKA (*see* Kondo, Kuchiba, and Shimizu), 421
SHULMAN, SABRA (*see* Hymes, Shulman, and Karpatkin), 639
SIMCHOWITZ, LOUIS, MEHTA, JAGDISH, and SPILBERG, ISAIAS. Chemotactic factor–induced superoxide radical generation by human neutrophils: requirement for proteinase (esterase) activity, 403
SINGH, SATINDER (*see* Hulter et al.), 223
SKINNER, MARTHA, VAITUKAITIS, JUDITH L., COHEN, ALAN S., and BENSON, MERRILL D. Serum amyloid P-component levels in amyloidosis, connective tissue diseases, infection, and malignancy as compared to normal serum, 633
SLIOGERIS, VITA G. (*see* Couser et al.), 917
SMITH, CLARK M., II, WILLIAMS, GALE C., KRIVIT, WILLIAM, WHITE, JAMES G., and HANSON, RUSSELL F. Micellar properties of 3α, 7α, 12α-trihydroxy-5β-cholestan-26-oyl taurine and relationship to in vitro red cell disruption, 624
SMITH, P. J. (*see* Jackson et al.), 500
SMITH, RAYMOND P. (*see* Baltch et al.), 201
SNODGRASS, P. J. (*see* Weber et al.), 27
SOLOMONS, NOEL W., JACOB, ROBERT A., PINEDA, OSCAR, and VITERI, FERNANDO. Studies on bioavailability of zinc in man. II. Absorption of zinc from organic and inorganic sources, 335
SPILBERG, ISAIAS, MANDELL, BRIAN, and HOFFSTEIN, SYLVIA. Proposed model for chemotactic deactivation: evidence for microtubule modulation of polymorphonuclear leukocyte chemotaxis, 361
—. (*see* Simchowitz, Mehta, and Spilberg), 403
STARCHER, BARRY C., and GOLDSTEIN, ROBERT A. Studies on absorption of desmosine and isodesmosine, 848
STELLAARD, FRANS, BOLT, MERRY G., BOYER, JAMES L., and KLEIN, PETER D. Phenobarbital treatment in primary biliary cirrhosis: differences in bile acid composition between responders and nonresponders, 853
STEVENSON, DAVID K., OSTRANDER, CLINTON E., and JOHNSON, JOHN D. Effect of erythrocyte destruction on pulmonary excretion rate of carbon monoxide in adult male Wistar rats, 659
STILMANT, MAGDA M. (*see* Couser et al.), 917
STINEBAUGH, B. J. (*see* Richardson et al.), 510
STONE, WILLIAM J. (*see* Nies, Robertson, and Stone), 395
STUART, MARIE J., ELRAD, HAIM, GRAEBER, JANET E., HAKANSON, DAVID O., SUNDERJI, SHIRAZALI G., and BARVINCHAK, MARY K. Increased synthesis of prostaglandin endoperoxides and platelet hyperfunction in infants of mothers with diabetes mellitus, 12
SULTAN, YVETTE (*see* Angles-Cano, Sultan, and Clauvel), 312
SUNDERJI, SHIRAZALI G. (*see* Stuart et al.), 12
SUTPHEN, NANCY (*see* Baltch et al.), 201
SUTTON, ROGER A. L. (*see* Wong et al.), 683
SWEENEY, GEORGE D., COLE, FREDERICK M., FREEMAN, KARL B., and PATEL, HASMUKH V. Heterogeneity of rat liver parenchymal cells. Cell volume as function of DNA content, 718

T

TANIMOTO, KIYOAKI (*see* Aikawa et al.), 902
TASWELL, HOWARD F. (*see* Lauterburg et al.), 585
TAVOLONI, NICOLA, REED, JAMES S., HRUBAN, ZDENEK, and BOYER, JAMES L. Effect of chlorpromazine on hepatic perfusion and bile secretory function in isolated perfused rat liver, 726
TAYLOR, F. B., JR. (*see* Lockhart, Comp, and Taylor), 285
TCHERNIA, G. (*see* Coulombel, Tchernia, and Mohandas), 467
TEICHBERG, SAUL (*see* Wapnir et al.), 144
TERESI, LOUIS M. (*see* Kleinman et al.), 600
TERRY, B. E. (*see* Burns et al.), 387
THE, T. H. (*see* Weits et al.), 458
THIERY, J. M. (*see* Chevalier et al.), 232
THOMPSON, J. (*see* Murray et al.), 18
TUMA, SAMIR (*see* Massry et al.), 152
TURINO, G. M. (*see* Green et al.), 549

V

VAITUKAITIS, JUDITH L. (*see* Skinner et al.), 633
VAN DER GEISSEN, M. (*see* Weits et al.), 458
VENGE, P. (*see* Hällgren et al.), 277
VITERI, FERNANDO (*see* Solomons et al.), 335

W

WAHEED, ABDUL, and SHADDUCK, RICHARD K. Purification and properties of L cell–derived colony-stimulating factor, 180
WAPNIR, RAUL A., MOAK, SUSAN A., LIFSHITZ, FIMA, and TEICHBERG, SAUL. Alterations of intestinal and renal functions in rats after intraperitoneal injections of lead acetate, 144
WAUTIER, J. L. (*see* Legrand et al.), 438
WEBER, F. L., JR., SNODGRASS, P. J., POWELL, D. E., RAO, P., HUFFMAN, S. L., and BRADY, P. G. Abnormalities of hepatic mitochondrial urea-cycle enzyme activities and hepatic ultrastructure in acute fatty liver of pregnancy, 27
WEIBLEN, BARBARA J., FORSTROM, LEROY, and MCCULLOUGH, JEFFREY. Studies of kinetics of indium-111–labeled granulocytes, 246
WEINBERGER, M. H. (*see* Grim et al.), 764
— (*see* Henry et al.), 429
WEINSHILBOUM, RICHARD M. (*see* Anderson and Weinshilboum), 158
WEITS, J., DE GAST, G. C., THE, T. H., ESSELINK, M. T., VAN DER GEISSEN, M., and MANDEMA, E. Class- and subclass-specific antibody response to hemocyanin in nonmalignant paraproteinemia, 458
WESSLER, STANFORD (*see* Gitel and Wessler), 481
WEXLER, BERNARD C. (*see* Iams and Wexler), 608
WEXLER, MARVIN J. (*see* Levy, Wexler, and McCaffrey), 933
WHIDDEN, M. A. (*see* Jackson et al.), 500
WHITE, JAMES G. (*see* Smith et al.), 624
WHITE, JOSIANE (*see* White, White, and Janoff), 489
WHITE, RICHARD, WHITE, JOSIANE, and JANOFF, AARON. Effects of cigarette smoke on elastase secretion by murine macrophages, 489
WILLIAMS, GALE C. (*see* Smith et al.), 624
WILLIAMS, MICHAEL C. (*see* Lijana and Williams), 266
WILLIS, LYNN R. Natriuretic responses of spontaneously hypertensive rats to intragastric and intravenous saline loads, 42

WONG, NORMAN L. M., QUAMME, GARY A., SUTTON, ROGER A. L., and DIRKS, JOHN H. Effects of mannitol on water and electrolyte transport in dog kidney, 683

WORTMANN, ROBERT L. (*see* Fox et al.), 52

Z

ZANJANI, ESMAIL D. (*see* Roodman and Zanjani), 699

ZOLOCK, DAVID T. (*see* Bikle et al.), 88

ZUCALI, JAMES R., MIRAND, EDWIN A., and GORDON, ALBERT S. Erythropoiesis and artificial blood substitution with perfluorocarbon-polyol, 742

ZUCKER, MARJORIE B., BROEKMAN, M. JOHAN, and KAPLAN, KAREN L. Factor VIII-related antigen in human blood platelets. Localization and release by thrombin and collagen, 675

Subject index*

A

Absorptive function in perfused rabbit colon, bile acid–induced alterations in, effect of molecular structure on, 661

Acid urine, maximally, produced by isolated dog kidney, 600

Actinomycin D and 1,25-dihydroxyvitamin D_3 stimulating chick gut alkaline phosphatase activity: independent mechanisms, 88

Adipocytes, human, adrenergic receptor activity of, effect of fasting on, 387

Adrenal hyperplasia, congenital, plasma androgens in: androstenedione concentration as index of adrenal androgen suppression, 799

Adrenergic receptor activity of human adipocytes, effect of fasting on, 387

research, avenues of, 381

Alcohol intake, coronary artery occlusion, and high-density lipoprotein cholesterol, interrelationship between, 348

Alcoholism in liver disease, hemolytic implications of, 123

Alkaline phosphatase activity, chick gut, stimulated by actinomycin D and 1,25-dihydroxyvitamin D_3: independent mechanisms, 88

Alkylating agents, single, in vitro effects on normal peripheral blood lymphocytes, 114

Allergic encephalitis, rabies antibodies, and blood/brain barrier, 5

Alpha-fetoprotein, fetally derived, amnion regulating movement into maternal blood, 344

Alveolar macrophages, elastolytic activity in normal dogs and human subjects, 549

δ-Aminolevulinic acid, exogenous, metabolic fate in Dubin-Johnson syndrome, 421

Aminonucleoside effects on rat blood-peritoneal barrier permeability, 295

of puromycin and nephrotoxic serum, effects on subepithelial immune-deposit formation in passive Heymann nephritis, 917

Aminopyrine as model drug for studying decreased hepatic microsomal reserve in cirrhosis, 947

Ammonemia, systemic and portal, in normal and portal-strictured rats, effect of chronic uremia on, 872

Amnion regulating movement of fetally derived alpha-fetoprotein into maternal blood, 344

Amyloid P-component levels, serum, in amyloidosis, connective tissue diseases, infection, and malignancy as compared to normal serum, 633

Amyloidosis, serum amyloid P-component levels in, as compared to normal serum, 633

Amylopectin, hydroxyethylated, low-molecular-weight, catabolism in man. I. Changes in circulating molecular composition, 841

Androgens, plasma, in congenital adrenal hyperplasia: androstenedione concentration as index of adrenal androgen suppression, 799

Androstenedione concentration as index of adrenal androgen suppression in congenital adrenal hyperplasia,799

Anemia of mice bearing extramedullary tumor, erythropoietin and, 303

sickle cell, abnormal levels of vitamin E and glutathione peroxidase in: increased susceptibility to lipid peroxidation in vivo, 542

Antibiotic therapy, can it improve survival in *Pseudomonas* bacteremia, 196

Antibody(ies), anti-platelet, bound, solid-phase radioimmunoassay for, studied in autoimmune platelet disorders, 639

method for measuring dihydrotestosterone receptors in cultured human skin fibroblasts, 106

precipitating, in von Willebrand's disease, familial incidence of, 60

rabies, allergic encephalitis, and blood/brain barrier, 5

response, class- and subclass-specific, to hemocyanin in nonmalignant paraproteinemia, 458

Antigen(s), factor VIII-related, in human blood platelets: localization and release by thrombin and collagen, 675

spatial orientation and distribution within human glomerular basement membrane, 447

Antimicrobial agents, susceptibility of *Pseudomonas aeruginosa* bacteremia to, and clinical significance, 201

Antinuclear factor, cold-reacting, in sera from IgA nephropathy, 76

Anti-platelet antibody, bound, solid-phase radioimmunoassay for, studied in autoimmune platelet disorders, 639

Antithrombotic effects of warfarin and heparin after infusions of tissue thromboplastin in rabbits, clinical implications of, 481

*July, pp. 1-194; August, pp. 195-380; September, pp. 381-518; October, pp. 519-654; November, pp. 655-810; December, pp. 811-970.

α_1-Antitrypsin elevation in healthy neonates, 475
phenotypes, improved identification by isoelectric focusing with dithioerythritol, 826
Aortic clamping, effect on natriuretic response of dog and rat to extracellular volume expansion, 215
Arterial subendothelium, platelet reactivity to, during blood flow, effects of storage on, 370
and venous concentrations of norepinephrine and urinary excretion, showing vascular compartmentalization of plasma norepinephrine in normal man, 429
Artery, coronary, occlusion, high-density lipoprotein cholesterol, and alcohol intake, interrelationship between, 348
Ascites, removal by continuous peritoneovenous shunting, sodium retention in dogs with experimental cirrhosis after, 933
Aspirin ingestion, effect on in vivo platelet retention in human bleeding-time wounds, 574
ATP, red cell, depletion by incubation with 2-deoxyglucose, 617
Autoimmune platelet disorders, bound anti-platelet antibody in, solid-phase radioimmunoassay for, 639
Autonomic neuropathy, peripheral, uremic, not causing hemodialysis hypotension, 395
Avenues of adrenergic research, 381

B

Bacteremia, *Pseudomonas aeruginosa*, susceptibility to antimicrobial agents and clinical significance, 201
can antibiotic therapy improve survival, 196
Benzidine, tetramethylbenzidine as substitute for, in hemoglobin analysis, 266
Bernard-Soulier platelets, normal human and thrombasthenic platelets and, plasma membrane of, freeze-fracture studies, 232
Bile acid(s) and bilirubin, removal by plasmaperfusion of U.S.P. charcoal–coated glass beads, 585
composition, differences between responders and nonresponders after phenobarbital treatment in primary ciliary cirrhosis, 853
heterogeneity and gastrointestinal epithelium: from diarrhea to colon cancer, 655
–induced alterations in absorptive function, permeability, and morphology in perfused rabbit colon, effect of molecular structure on, 661
secretory function and hepatic perfusion in isolated perfused rat liver, chlorpromazine effect on, 726
Biliary cirrhosis, primary, phenobarbital treatment in: bile acid composition differences between responders and nonresponders, 853
Bilirubin and bile acids, removal by plasmaperfusion of U.S.P. charcoal–coated glass beads, 585
Bioavailability of zinc in man. II. Absorption of zinc from organic and inorganic sources, 335
Bleeding-time wounds, human, in vivo platelet retention in: effect of aspirin ingestion, 574; normals and platelet dysfunction patients, 563
Blood, artificial, substitution and erythropoiesis with perfluorocarbon-polyol, 742
/brain barrier, allergic encephalitis, and rabies antibodies, 5
flow, platelet reactivity to subendothelium during, effects of storage on, 370
maternal, movement of fetally derived alpha-fetoprotein into, amnion regulating, 344
peripheral, lymphocytes of, in vitro effects of single alkylating agents on, 114
Blood—cont'd.
-peritoneal barrier, rat, permeability of, effects of aminonucleoside on, 295
Bone marrow specimens, human, enriched for myeloblasts and promyelocytes, method of obtaining, 414
Breast cancer preparations, estradiol receptor in, dextran-coated charcoal assay for, 784
Breath hydrogen, gas chromatographic quantitation of, improved by normalization to respiratory carbon dioxide, 755
Bronchoalveolar cell populations in acute sarcoidosis: smoking and nonsmoking patients, 862

C

C1q determination in human sera, 593
Calcium-binding protein, intestinal, for studying postfeeding radioimmunoassay artefact in heparinized pig plasma, 18
Cancer, breast, estradiol receptor in preparations of, dextran-coated charcoal assay for, 684
colon, from diarrhea to: bile acid heterogeneity and gastrointestinal epithelium, 655
Carbon dioxide, respiratory, normalization to, improved gas chromatographic quantitation of breath hydrogen by, 755
monoxide, pulmonary excretion rate of, in adult male Wistar rats, effect of erythrocyte destruction on, 659
Catabolism of low-molecular-weight hydroxyethylated amylopectin in man. I. Changes in circulating molecular composition, 841
Cell(s), erythroid colony-forming, endogenous, in fetal and newborn sheep, 699
liver parenchymal, rat, volume of as function of DNA content, 718
populations, bronchoalveolar, in acute sarcoidosis: smoking and nonsmoking patients, 862
transport of vitamin B_{12} from food to use within, 811
Charcoal, dextran-coated, assay for estradiol receptor in breast cancer preparations, 784
(U.S.P.) coated glass beads, plasmaperfusion of, removal of bile acids and bilirubin by, 585
Chemotactic deactivation, proposed model for: microtubule modulation of polymorphonuclear leukocyte chemotaxis, 361
factor–induced superoxide radical generation by human neutrophils, proteinase (esterase) activity required for, 403
Chemotaxis, polymorphonuclear leukocyte, microtubule modulation of, model for chemotactic deactivation, 361
Chick gut alkaline phosphatase activity, stimulated by actinomycin D and 1,25-dihydroxyvitamin D_3: independent mechanisms, 88
Chlorpromazine, effect on hepatic perfusion and bile secretory function in isolated perfused rat liver, 726
Chromatography, gas, quantitating breath hydrogen, improved by normalization to respiratory carbon dioxide, 755
Cigarette smoke, effects on elastase secretion by murine macrophages, 489
Cirrhosis, biliary, primary, phenobarbital treatment in: bile acid composition differences between responders and nonresponders, 853
decreased hepatic microsomal reserve in: aminopyrine as model drug, 947
experimental, sodium retention in dogs with, after removal of ascites by continuous peritoneovenous shunting, 933

Cirrhosis—cont'd.
tyrosine metabolism in, 833
Class- and subclass-specific antibody response to hemocyanin in nonmalignant paraproteinemia, 458
Clearances, peritoneal, 519
measurement in self-dialysis patients, 516
Clonidine, clinical efficacy and pharmacokinetics in hemodialysis and renal insufficiency, 223
Clots, plasma, dilute, platelets in lysis of, metabolically active platelets required, 285
Cobalamins, plasma, forms and transport in normal man and myeloproliferative states, 772
Cold-reacting antinuclear factor in sera from IgA nephropathy, 76
Collagen, fibrillar, platelet adhesion to, specific and quantitative method for estimating, 438
and thrombin localizing and releasing factor VIII-related antigen in human blood platelets, 675
Colon cancer, from diarrhea to: bile acid heterogeneity and gastrointestinal epithelium, 655
rabbit, perfused, absorptive function, permeability, and morphology of, bile acid–induced alterations in, effect of molecular structure on, 661
Colony-forming cells, erythroid, endogenous, in fetal and newborn sheep, 699
-stimulating factor, L cell–derived, purification and properties of, 180
Complement protein and IgG binding by monosodium urate monohydrate and other crystals, 532
Congenital adrenal hyperplasia, plasma androgens in: androstenedione concentration as index of adrenal androgen suppression, 799
Connective tissue diseases, serum amyloid P-component levels in, vs. normal serum, 633
Coronary artery occlusion, high-density lipoprotein cholesterol, and alcohol intake, interrelationship between, 348
Cross-reacting material positive subjects for Hageman trait (factor XII deficiency), showing molecular heterogeneity, 256
Cyclic nucleotide accumulation in glomeruli, dexamethasone effects on, 708

D

Deformability, erythrocyte, measured with micropore membranes, 133
Density fractions of normal human erythrocytes labeled with iron-59 in vivo, 879
Deoxyadenosine inhibiting DNA synthesis in cultured human fibroblasts, 52
2-Deoxyglucose, depletion of red cell ATP by incubation with, 617
Desmosine and isodesmosine, absorption studies, 848
Dexamethasone, effects on cyclic nucleotide accumulation in glomeruli, 708
Dextran-coated charcoal assay for estradiol receptor in breast cancer preparations, 784
Diabetes mellitus, infants of mothers with, increased synthesis of prostaglandin peroxides and platelet hyperfunction in, 12
Dialysis, self, peritoneal clearances in, measurement of, 526
treatment, regular, uremic patients on, polymorphonuclear leukocytes from, serum-independent uptake of IgG-coated particles by, 277
Diarrhea to colon cancer: bile acid heterogeneity and gastrointestinal epithelium, 655
Diet and metabolism, influence on urinary acid excretion in rat and rabbit, 510
Dihydrotestosterone receptors in cultured human skin fibroblasts, antibody method for measuring, 106
1,25-Dihydroxyvitamin D_3 and actinomycin D stimulating chick gut alkaline phosphatase activity: independent mechanisms, 88
1,25- and 24,25-Dihydroxyvitamin D_3, in reversal of skeletal resistance to parathyroid hormone in uremia, 152
Dithioerythritol, isoelectric focusing with, improved identification of antitrypsin phenotypes by, 826
DNA content, cell volume as function of: heterogeneity of rat liver parenchymal cells, 718
synthesis in cultured human fibroblasts, inhibited by deoxyadenosine, 52
Dog(s) with experimental cirrhosis, sodium retention in, after removal of ascites by continuous peritoneovenous shunting, 933
and human subjects, normal, alveolar macrophages in, elastolytic activity of, 549
kidney, isolated, production of maximally acid urine by, 600
water and electrolyte transport in, mannitol effect on, 683
and rat natriuretic response to extracellular volume expansion, effect of aortic clamping, 215
Dopamine augmenting peritoneal mass transport: norepinephrine compared and pharmacologic mechanisms evaluated, 747
Dubin-Johnson syndrome, metabolic fate of exogenous delta-aminolevulinic acid in, 421

E

Elastase secretion by murine macrophages, effects of cigarette smoke on, 489
Elastolytic activity of alveolar macrophages in normal dogs and human subjects, 549
Electrolyte and water transport in dog kidney, mannitol effect on, 683
Encephalitis, allergic, rabies antibodies, and blood/brain barrier, 5
Endogenous erythroid colony-forming cells in fetal and newborn sheep, 699
inhibitors and enzyme activity of phenolsulphotransferase in human erythrocyte, 158
pyrogens, four, synthesis by rabbit macrophages, 95
Endothelial cell damage possibly related to predisposing factors to thrombosis in systemic lupus erythematosus, 312
Enzyme activity and endogenous inhibitors of phenolsulphotransferase in human erythrocyte, 158
hepatic mitochondrial urea-cycle, abnormal activities of, and hepatic ultrastructure in acute fatty liver of pregnancy, 27
Epithelium, gastrointestinal, and bile acid heterogeneity: from diarrhea to colon cancer, 655
Erythrocyte(s) ATP, depletion by incubation with 2-deoxyglucose, 617
deformability measured with micropore membranes, 133
destruction, effect on pulmonary excretion rate of carbon monoxide in adult male Wistar rats, 659
disruption, in vitro, relation to 3α, 7α, 12α-trihydroxy-5β-cholestan-26-oyl taurine, 624
human, detecting circulating immune complexes, 902
enzyme activity and endogenous inhibitors of phenolsulphotransferase in, 158
normal, labeled with iron-59 in vivo, density fractions of, 879

Erythrocyte—cont'd.
-hypertransfused mice, packed cell volume, platelets, and platelet survival in, 500
membrane system, specialized, folate compounds transferred by, evidence for, 354
Erythroid colony-forming cells, endogenous, in fetal and newborn sheep, 699
Erythropoiesis and artificial blood substitution with perfluorocarbon-polyol, 742
Erythropoietic stress, relevance to human reticulocyte maturation, 467
Erythropoietin and anemia of mice bearing extramedullary tumor, 303
Essential hypertensives, normotensive first-degree relatives of, sodium loading and depletion in, 764
Esterase (proteinase) activity required for chemotactic factor–induced superoxide radical generation by human neutrophils, 403
Estradiol or gonadectomy inhibiting development of spontaneous hypertension in SH rats, 608
receptor in breast cancer preparations, dextran-coated charcoal assay for, 784
Exogenous delta-aminolevulinic acid, metabolic fate in Dubin-Johnson syndrome, 421
Extracellular volume expansion, natriuretic response of dog and rat to, effect of aortic clamping, 215
Extramedullary tumor, mice bearing, anemia of, erythropoietin and, 303

F

Factor VIII-related antigen in human blood platelets: localization and release by thrombin and collagen, 675
Factor XII deficiency (Hageman trait), molecular heterogeneity of: cross-reacting material positive subjects, 256
Familial incidence of precipitating antibodies in von Willebrand's disease, 60
Fasting, effect on adrenergic receptor activity of human adipocytes, 387
Fatty liver, acute, of pregnancy, abnormal hepatic mitochondrial urea-cycle enzyme activities and hepatic ultrastructure in, 27
Fetal and newborn sheep, endogenous erythroid colony-forming cells in, 699
Fetally derived alpha-fetoprotein, amnion regulating movement into maternal blood, 344
Fibrillar collagen, platelet adhesion to, specific and quantitatitive method for estimating, 438
Fibroblasts, human, cultured, DNA synthesis in, inhibited by deoxyadenosine, 52
skin, cultured, dihydrotestosterone receptors in, antibody method for measuring, 106
Folate compounds transferred by specialized erythrocyte membrane system, evidence for, 354
Food, transport of vitamin B_{12} from, to use within cells, 811
Freeze-fracture studies on plasma membrane of normal human, thrombasthenic, and Bernard-Soulier platelets, 232

G

Gas chromatographic quantitation of breath hydrogen, improved by normalization to respiratory carbon dioxide, 755
Gastrointestinal epithelium and bile acid heterogeneity: from diarrhea to colon cancer, 655
Gentamicin-induced virulent small colony variants of *Staphylococcus aureus*, 324
Glass beads, U.S.P. charcoal–coated, plasmaperfusion of, removal of bile acids and bilirubin by, 585
Glomerular basement membrane, human, antigens within, spatial orientation and distribution of, 447
Glomeruli, cyclic nucleotide accumulation in, dexamethasone effects on, 708
Glutathione peroxidase and vitamin E, abnormal levels in sickle cell anemia: increased susceptibility to lipid peroxidation in vivo, 542
Gonadectomy or estradiol inhibiting development of spontaneous hypertension in SH rats, 608
Granulocytes, decreased nitroblue tetrazolium reduction of, in type IV hyperlipoproteinemia, 897
indium-111–labeled, kinetics of, 246

H

Hageman factor (factor XII deficiency), molecular heterogeneity of: cross-reacting material positive subjects, 256
Hemocyanin, antibody response to, class- and subclass-specific, in nonmalignant paraproteinemia, 458
Hemodialysis hypotension not result of uremic peripheral autonomic neuropathy, 395
and renal insufficiency, clonidine in, clinical efficacy and pharmacokinetics of, 223
Hemoglobin analysis, tetramethylbenzidine as substitute for benzidine in, 266
Hemolytic implications of alcoholism in liver disease, 123
Heparin and warfarin, antithrombotic effects after infusions of tissue thromboplastin in rabbits, clinical implications of, 481
Heparinized pig plasma, postfeeding radioimmunoassay of, artefact in: studies with intestinal calcium-binding protein, 18
Hepatic; *see* Liver
Heymann nephritis, passive, subepithelial immune-deposit formation in, effects of aminonucleoside of puromycin and nephrotoxic serum on, 917
High-density lipoprotein cholesterol, coronary artery occlusion, and alcohol intake, interrelationship between, 348
Human(s) adipocytes, adrenergic receptor activity of, effect of fasting on, 387
bleeding-time wounds, in vivo platelet retention in: effect of aspirin ingestion, 574; normals and platelet dysfunction patients, 563
bone marrow specimens enriched for myeloblasts and promyelocytes, method of obtaining, 414
catabolism of low-molecular-weight hydroxyethylated amylopectin. I. Changes in circulating molecular composition, 841
and dogs, normal, alveolar macrophages in, elastolytic activity of, 549
erythrocyte(s), detecting circulating immune complexes, 902
enzyme activity and endogenous inhibitors of phenolsulphotransferase in, 158
normal, labeled with iron-59 in vivo, density fractions of, 879
fibroblasts, cultured, DNA synthesis in, inhibited by deoxyadenosine, 52
skin, cultured, dihydrotestosterone receptors in, antibody method for measuring, 106
glomerular basement membrane, antigens within, spatial orientation and distribution of, 447
neutrophils, superoxide radical generation by, chemotactic factor–induced, proteinase (esterase) activity required for, 403

Human(s)—cont'd.
normal and in myeloproliferative states, forms and transport of plasma cobalamins in, 772
plasma norepinephrine, normal, vascular compartmentalization of: venous and arterial concentrations and urinary excretion, 429
platelets, factor VIII–related antigen in: localization and release by thrombin and collagen, 675
normal, thrombasthenic and Bernard-Soulier platelets and, plasma membrane of, freeze-fracture studies, 232
reticulocyte maturation, relevance to erythropoietic stress, 467
sera, determination of C1q in, 593
zinc, bioavailability of. II. Absorption of zinc from organic and inorganic sources, 335
Hydroxyethylated amylopectin, low-molecular-weight, catabolism in man. I. Changes in circulating molecular composition, 841
Hyperlipoproteinemia, type IV, nitroblue tetrazolium reduction of granulocytes decreased in, 897
Hyperplasia, adrenal, congenital, plasma androgens in: androstenedione concentration as index of adrenal androgen suppression, 799
Hypertension, spontaneous, in SH rats, inhibition of development by gonadectomy or estradiol, 608
Hypertensive(s), essential, normotensive first-degree relatives of, sodium loading and depletion in, 764
rats, spontaneously, natriuretic responses to intragastric and intravenous saline loads, 42
Hypotension, hemodialysis, not result of uremic peripheral autonomic neuropathy, 395

I

IgA nephropathy, sera from, cold-reacting antinuclear factor in, 76
IgG-coated particles, serum-independent uptake by polymorphonuclear leukocytes from uremic patients on regular dialysis treatment, 277
and complement protein, binding by monosodium urate monohydrate and other crystals, 532
Immune complexes, circulating, detected with human red blood cells, 902
-deposit formation, subepithelial, in passive Heymann nephritis, effects of aminonucleoside of puromycin and nephrotoxic serum on, 917
Indium-111–labeled granulocytes, kinetics of, 246
Infants of mothers with diabetes mellitus, increased synthesis of prostaglandin peroxides and platelet hyperfunction in, 12
Infection, serum amyloid P-component levels in, as compared to normal serum, 633
Inorganic and organic sources of zinc, absorption from, and bioavailability of zinc in man, 335
Intestinal and renal functions in rats, alterations after intraperitoneal injections of lead acetate, 144
Intestine, rat, vascular perfusion of, vitamin B_{12} absorption studied by, 817
Intragastric and intravenous saline loads, natriuretic responses of spontaneously hypertensive rats to, 42
Intraperitoneal injections of lead acetate, alterations in intestinal and renal functions in rats after, 144
Intravenous and intragastric saline loads, natriuretic responses of spontaneously hypertensive rats to, 42
Iron-59, normal human erythrocytes labeled with, density fractions of, 879
Isodesmosine and desmosine, absorption studies, 848
Isoelectric focusing with dithioerythritol, improved identification of antitrypsin phenotypes by, 826

K

Kallikrein, urinary, rat, direct radioimmunoassay of, compared with other measures of activity, 172
Kidney, dog, isolated, production of maximally acid urine by, 600
water and electrolyte transport in, mannitol effect on, 683
insufficiency and hemodialysis, clonidine in, clinical efficacy and pharmacokinetics in, 223
and intestinal functions in rats, alterations after intraperitoneal injections of lead acetate, 144
Kinetics of indium-111–labeled granulocytes, 246
of phagocytosis. II. Serum-independent uptake of IgG-coated particles by polymorphonuclear leukocytes from uremic patients on regular dialysis treatment, 277

L

L cell–derived colony-stimulating factor, purification and properties of, 180
Lead acetate, intraperitoneal injections of, alterations in intestinal and renal functions in rats after, 144
Leukocytes, polymorphonuclear; *see* Polymorphonuclear leukocytes
Lipid peroxidation in vivo, increased susceptibility to, in sickle cell anemia, shown by abnormal levels of vitamin E and glutathione peroxidase, 542
Liver disease, alcoholism in, hemolytic implications of, 123
microsomal reserve, decreased in cirrhosis: aminopyrine as model drug, 947
mitochondrial urea-cycle enzyme activities and hepatic ultrastructure in acute fatty liver of pregnancy, 27
parenchymal cells, rat, heterogeneity of: cell volume as function of DNA content, 718
perfusion and bile secretory function in isolated perfused rat liver, chlorpromazine effect on, 726
Lupus erythematosus, systemic, thrombosis in, predisposing factors to, possibly related to endothelial cell damage, 312
Lymphocytes of normal peripheral blood, in vitro effects of single alkylating agents on, 114

M

Macrophages, alveolar, elastolytic activity in normal dogs and human subjects, 549
murine, elastase secretion by, effects of cigarette smoke on, 489
rabbit, synthesizing four endogenous pyrogens, 95
Malignancy, serum amyloid P-component levels in, as compared to normal serum, 633
Mannitol effect on water and electrolyte transport in dog kidney, 683
Maternal blood, movement of fetally derived alpha-fetoprotein into, amnion regulating, 344
Maturation, human reticulocyte, relevance to erythropoietic stress, 467
Membrane, glomerular basement, human, antigens within, spatial orientation and distribution of, 447
micropore, for measuring erythrocyte deformability, 133
plasma, of normal human, thrombasthenic, and Bernard-Soulier platelets, freeze-fracture studies, 232
system, erythrocyte, specialized, folate compounds transferred by, evidence for, 354
Metabolic fate of exogenous delta-aminolevulinic acid in Dubin-Johnson syndrome, 421
Metabolism and diet, influence on urinary acid excretion in rat and rabbit, 510

Metabolism—cont'd.
tyrosine, in cirrhosis, 833
zinc, in uremia, 693
Micellar properties of 3α, 7α, 12α-trihydroxy-5β-cholestan-26-oyl taurine and relation to in vitro red cell disruption, 624
Micropore membranes for measuring erythrocyte deformability, 133
Microsomal reserve, hepatic, decreased in cirrhosis: aminopyrine as model drug, 947
Microtubule modulation of polymorphonuclear leukocyte chemotaxis, model for chemotactic deactivation, 361
Mitochondrial urea-cycle enzyme, hepatic, abnormal activities of, and hepatic ultrastructure in acute fatty liver of pregnancy, 27
Molecular composition, circulating, changes during catabolism of low-molecular-weight hydroxyethylated amylopectin in man, 841
heterogeneity of Hageman trait (factor XII deficiency): cross-reacting material positive subjects, 256
structure, effect on bile acid–induced alterations in absorptive function, permeability, and morphology in perfused rabbit colon, 661
Monosodium urate monohydrate and other crystals, binding of IgG and complement protein by, 532
Morphology in perfused rabbit colon, bile acid–induced alterations in, effect of molecular function on, 661
Mouse (mice) bearing extramedullary tumor, anemia of, erythropoietin and, 303
macrophages, elastase secretion by, effects of cigarette smoke on, 489
red blood cell–hypertransfused, packed cell volume, platelets, and platelet survival in, 500
Myeloblasts and promyelocytes, human bone marrow specimens enriched for, method of obtaining, 414
Myeloproliferative states and normal man, forms and transport of plasma cobalamins in, 772

N

Natriuretic response of dog and rat to extracellular volume expansion, effect of aortic clamping, 215
of spontaneously hypertensive rats to intragastric and intravenous saline loads, 42
Neonates, healthy, alpha-1 antitrypsin elevation in, 475
Nephritis, Heymann, passive, subepithelial immune-deposit formation in, effects of aminonucleoside of puromycin and nephrotoxic serum on, 917
Nephropathy, IgA, sera from, cold-reacting antinuclear factor in, 76
Nephrotoxic serum and aminonucleoside of puromycin, effects on subepithelial immune-deposit formation in passive Heymann nephritis, 917
Neuropathy, autonomic, peripheral, uremic, not causing hemodialysis hypotension, 395
Neutrophils, human, superoxide radical generation by, chemotactic factor–induced, proteinase (esterase) activity required for, 403
Newborn and fetal sheep, endogenous erythroid colony-forming cells in, 699
Nitroblue tetrazolium reduction of granulocytes, decreased, in type IV hyperlipoproteinemia, 897
Nonmalignant paraproteinemia, antibody response to hemocyanin in, class- and subclass-specific, 458
Nonsmoking and smoking patients: bronchoalveolar cell populations in acute sarcoidosis, 862
Norepinephrine compared to augmentation of peritoneal mass transport by dopamine, 747
plasma, vascular compartmentalization of, in normal man: venous and arterial concentrations and urinary excretion, 429
Normotensive first-degree relatives of essential hypertensives, sodium loading and depletion in, 764
Nucleotide, cyclic, accumulation in glomeruli, dexamethasone effects on, 708

O

Organic and inorganic sources of zinc, absorption from, and bioavailability of zinc, 335

P

P-component, amyloid, serum levels in amyloidosis, connective tissue diseases, infection, and malignancy as compared to normal serum, 633
Packed cell volume, platelets, and platelet survival in red blood cell–hypertransfused mice, 500
Paraproteinemia, nonmalignant, antibody response to hemocyanin in, class- and subclass-specific, 458
Parathyroid hormone, skeletal resistance to, in uremia, reversal by vitamin D metabolites $1,25(OH)_2D_3$ and $24,25(OH)_2D_3$, 152
Parenchymal cells, rat liver, heterogeneity of: cell volume as function of DNA content, 718
Perfluorocarbon-polyol, erythropoiesis and artificial blood substitution with, 742
Perfused rabbit colon, absorptive function, permeability, and morphology of, bile acid–induced alterations in, effect of molecular structure on, 661
Perfusion, hepatic, and bile secretory function in isolated perfused rat liver, chlorpromazine effect on, 726
vascular, of rat intestine, vitamin B_{12} absorption studied by, 817
Peripheral blood lymphocytes, in vitro effects of single alkylating agents on, 114
Peritoneal clearances, 519
in self-dialysis patients, measurement of, 526
mass transport, augmented by dopamine: norepinephrine compared and pharmacologic mechanisms evaluated, 747
Peritoneovenous shunting, continuous, removal of ascites by, sodium retention in dogs with experimental cirrhosis after, 933
Permeability in perfused rabbit colon, bile acid–induced alterations in, effect of molecular structure on, 661
of rat blood-peritoneal barrier, effects of aminonucleoside on, 295
Peroxidation, lipid, in vivo, increased susceptibility to, in sickle cell anemia, shown by abnormal levels of vitamin E and glutathione peroxidase, 542
Peroxides, prostaglandin, increased synthesis of, and platelet hyperfunction in infants of mothers with diabetes mellitus, 12
Phagocytosis, kinetics of, II. Serum-independent uptake of IgG-coated particlea by polymorphonuclear leukocytes from uremic patients on regular dialysis treatment, 277
Pharmacokinetics and clinical efficacy of clonidine in hemodialysis and renal insufficiency, 223
Phenobarbital treatment in primary biliary cirrhosis: bile acid composition differences between responders and nonresponders, 853
Phenolsulphotransferase: enzyme activity and endogenous inhibitors in human erythrocyte, 158

Pig plasma, heparinized, postfeeding radioimmunoassay of, artefact in: studies with intestinal calcium-binding protein, 18
Plasma androgens in congenital adrenal hyperplasia: androstenedione concentration as index of adrenal androgen suppression, 799
clots, dilute, platelets in lysis of: metabolically active platelets required, 285
cobalamins, forms and transport in normal man and myeloproliferative states, 772
membrane of normal human, thrombasthenic, and Bernard-Soulier platelets, freeze-fracture studies, 232
norepinephrine, vascular compartmentalization of, in normal man: venous and arterial concentrations and urinary excretion, 429
pig, heparinized, postfeeding radioimmunoassay of, artefact in: studies with intestinal calcium-binding protein, 18
Plasmaperfusion of U.S.P. charcoal–coated glass beads removing bile acids and bilirubin, 585
Platelet(s) adhesion to fibrillar collagen, specific and quantitative method for estimating, 438
disorders, autoimmune, bound anti-platelet antibody in, solid-phase radioimmunoassay for, 639
dysfunction patients and normals: in vivo platelet retention in bleeding-time wounds, 563
human, factor VIII-related antigen in: localization and release by thrombin and collagen, 675
normal, thrombasthenic, and Bernard-Soulier, plasma membrane of, freeze-fracture studies, 232
hyperfunction and increased synthesis of prostaglandin peroxides in infants of mothers with diabetes mellitus, 12
in lysis of dilute plasma clots: metabolically active platelets required, 285
packed cell volume, and platelet survival in red blood cell–hypertransfused mice, 500
reactivity to arterial subendothelium during blood flow, effects of storage on, 370
retention in vivo, in human bleeding-time wounds: effect of aspirin ingestion, 574; in normals and platelet dysfunction patients, 563
survival, packed cell volume, and platelets in red blood cell–hypertransfused mice, 500
Polymorphonuclear leukocyte(s) chemotaxis, microtubule modulation of, model for chemotactic deactivation, 361
from patients on regular dialysis treatment, serum-independent uptake of IgG-coated particles by, 277
Polyol, fluorocarbon, erythropoiesis and artificial blood substitution with, 742
Portal and systemic ammonemia in normal and portal-strictured rats, effect of chronic uremia on, 872
Postfeeding radioimmunoassay artefact in heparinized pig plasma: studies with intestinal calcium-binding protein, 18
Promyelocytes and myeloblasts, human bone marrow specimen enriched for, method of obtaining, 414
Prostaglandin peroxides, increased synthesis of, and platelet hyperfunction in infants of mothers with diabetes mellitus, 12
Protein, complement, and IgG binding by monosodium urate monohydrate and other crystals, 532
intestinal calcium-binding, for studying postfeeding radioimmunoassay artefact in heparinized pig plasma, 18
Proteinase (esterase) activity required for chemotactic factor–induced superoxide radical generation by human neutrophils, 403
Pseudomonas aeruginosa bacteremia, susceptibility to antimicrobial agents and clinical significance, 201
bacteremia, can antibiotic therapy improve survival, 196
Pulmonary excretion rate of carbon monoxide in adult male Wistar rats, effect of erythrocyte destruction on, 659
Puromycin, aminonucleoside of, and nephrotoxic serum, effects on subepithelial immune-deposit formation in passive Heymann nephritis, 917
Pyrogens, endogenous, four, synthesis by rabbit macrophages, 95

R

Rabbit colon, perfused, absorptive function, permeability, and morphology of, bile acid–induced alterations in, effect of molecular structure on, 661
macrophages synthesizing four endogenous pyrogens, 95
and rat, urinary acid excretion in, influence of diet and metabolism on, 510
tissue thromboplastin infusions in, antithrombotic effects of warfarin and heparin after, clinical implications of, 481
Rabies antibodies, allergic encephalitis, and blood/brain barrier, 5
pathogenesis and diagnosis, 1
Radioimmunoassay, direct, of rat urinary kallikrein, 172
of heparinized pig plasma, postfeeding artefact in: studies with intestinal calcium-binding protein, 18
solid-phase, for bound anti-platelet antibody, studied in autoimmune platelet disorders, 639
Rat(s) blood-peritoneal barrier permeability, aminonucleoside effects on, 295
and dog natriuretic response to extracellular volume expansion, effect of aortic clamping, 215
intestinal and renal functions in, alterations after intraperitoneal injections of lead acetate, 144
intestine, vascular perfusion of, vitamin B_{12} absorption studied by, 817
liver, isolated, perfused, hepatic perfusion and bile secretory function in, chlorpromazine effect on, 726
parenchymal cells, heterogeneity of: cell volume as function of DNA content, 718
portal-strictured and normal, portal and systemic ammonemia in, effect of chronic uremia on, 872
and rabbit, urinary acid excretion in, influence of diet and metabolism on, 510
SH, spontaneous hypertension in, inhibition of development of, by gonadectomy or estradiol, 608
spontaneously hypertensive, natriuretic responses to intragastric and intravenous saline loads, 42
urinary kallikrein, direct radioimmunoassay of, compared with other measures of activity, 172
Wistar, adult male, pulmonary excretion rate of carbon monoxide in, effect of erythrocyte destruction on, 659
Red blood cell; *see* Erythrocyte
Renal; *see* Kidney
Reticulocyte maturation, human, relevance to erythropoietic stress, 467

S

Saline loads, intragastric and intravenous, natriuretic responses of spontaneously hypertensive rats to, 42

Sarcoidosis, acute, bronchoalveolar cell populations in: smoking and nonsmoking patients, 862
Self-dialysis patients, peritoneal clearances in, measurement of, 526
Serum(a) amyloid P-component levels in amyloidosis, connective tissue diseases, infection, and malignancy as compared to normal serum, 633
human, C1q in, determination of, 593
from IgA nephropathy, cold-reacting antinuclear factor in, 76
-independent uptake of IgG-coated particles by polymorphonuclear leukocytes from uremic patients on regular dialysis treatment, 277
SH rats, spontaneous hypertension in, inhibition of development of, by gonadectomy or estradiol, 608
Sheep, fetal and newborn, endogenous erythroid colony-forming cells in, 699
Sickle cell anemia, abnormal levels of vitamin E and glutathione peroxidase in: increased susceptibility to lipid peroxidation in vivo, 542
Skeletal resistance to parathyroid hormone in uremia, reversal by vitamin D metabolites 1,25$(OH)_2D_3$ and 24,25$(OH)_2D_3$, 152
Skin fibroblasts, human, cultured, dihydrotestosterone receptors in, antibody method for measuring, 106
Small colony variants of *Staphylococcus aureus*, virulent, gentamicin-induced, 324
Smoking and nonsmoking patients: bronchoalveolar cell populations in acute sarcoidosis, 862
Sodium loading and depletion, effects in normotensive first-degree relatives of essential hypertensives, 764
retention in dogs with experimental cirrhosis after removal of ascites by continuous peritoneovenous shunting, 933
Spatial orientation and distribution of antigens within human glomerular basement membrane, 447
Spontaneous hypertension in SH rats, inhibition of development of, by gonadectomy or estradiol, 608
Spontaneously hypertensive rats, natriuretic responses to intragastric and intravenous saline loads, 42
Staphylococcus aureus, small colony variants of, virulent, gentamicin-induced, 324
Storage effects on platelet reactivity to arterial subendothelium during blood flow, 370
Stress, erythropoietic, relevance to human reticulocyte maturation, 467
Subendothelium, arterial, platelet reactivity to, during blood flow, effects of storage on, 370
Subepithelial immune-deposit formation in passive Heymann nephritis, effects of aminonucleoside of puromycin and nephrotoxic serum on, 917
Superoxide radical generation by human neutrophils, chemotactic factor–induced, proteinase (esterase) activity required for, 403
Systemic lupus erythematosus, thrombosis in, predisposing factors to, possibly related to endothelial cell damage, 312
and portal ammonemia in normal and portal-strictured rats, effect of chronic uremia on, 872

T

Tetramethylbenzidine as substitute for benzidine in hemoglobin analysis, 266
Thrombasthenic platelets, normal human and Bernard-Soulier platelets and, plasma membrane of, freeze-fracture studies, 232
Thrombin and collagen localizing and releasing factor VIII-related antigen in human blood platelets, 675
Thromboplastin, tissue, infusions of, in rabbits, antithrombotic effects of warfarin and heparin after, clinical implications of, 481
Thrombosis, predisposing factors to, in systemic lupus erythematosus: possible relation to endothelial cell damage, 312
Tissue thromboplastin, infusions of, in rabbits, antithrombotic effects of warfarin and heparin after, clinical implications of, 481
3α, 7α, 12α-Trihydroxy-5β-cholestan-26-oyl taurine, micellar properties of, and relation to in vitro red cell disruption, 624
Tyrosine metabolism in cirrhosis, 833

U

Urea-cycle enzyme, hepatic mitochondrial, abnormal activities of, and hepatic ultrastructure in acute fatty liver of pregnancy, 27
Uremia, chronic, effect on portal and systemic ammonemia in normal and portal-strictured rats, 872
skeletal resistance to parathyroid hormone in, reversal by vitamin D metabolites 1,25$(OH)_2D_3$ and 24,25$(OH)_2D_3$, 152
zinc metabolism in, 693
Uremic patients on regular dialysis treatment, polymorphonuclear leukocytes from, serum-independent uptake of IgG-coated particles by, 277
peripheral autonomic neuropathy not causing hemodialysis hypotension, 395
Urinary acid excretion in rat and rabbit, influence of diet and metabolism on, 510
excretion and venous and arterial concentrations of norepinephrine, showing vascular compartmentalization of plasma norepinephrine in normal man, 429
kallikrein, rat, direct radioimmunoassay of, compared with other measures of activity, 172
Urine, maximally acid, production by isolated dog kidney, 600
U.S.P. charcoal–coated glass beads, plasmaperfusion of, removal of bile acids and bilirubin by, 585

V

Vascular compartmentalization of plasma norepinephrine in normal man: venous and arterial concentrations and urinary excretion, 429
perfusion of rat intestine, vitamin B_{12} absorption studied by, 817
Venous and arterial concentrations of norepinephrine and urinary excretion, showing vascular compartmentalization of plasma norepinephrine in normal man, 429
Virulent gentamicin-induced small colony variants of *Staphylococcus aureus*, 324
Vitamin B_{12} absorption studied by vascular perfusion of rat intestine, 817
transport from food to use within cells, 811
D metabolites 1,25$(OH)_2D_3$ and 24,25$(OH)_2D_3$ reversing skeletal resistance to parathyroid hormone in uremia, 152
E and glutathione peroxidase, abnormal levels in sickle cell anemia: increased susceptibility to lipid peroxidation in vivo, 542
von Willebrand's disease, precipitating antibodies in, familial incidence of, 60

W

Warfarin and heparin, antithrombotic effects after infusions of tissue thromboplastin in rabbits, clinical implications of, 481
Water and electrolyte transport in dog kidney, mannitol effect on, 683

Wistar rats, adult male, pulmonary excretion rate of carbon monoxide in, effect of erythrocyte destruction on, 659
Wounds, bleeding-time, human, in vivo platelet retention in: effect of aspirin ingestion, 574; normals and platelet dysfunction patients, 563

Z

Zinc, bioavailability in man. II. Absorption from organic and inorganic sources, 335
metabolism in uremia, 693